

Final Revision

* (1) Write the scientific term:

Mr. Ahmed Elbasha

1)	The distance moved through a unit time.	
2)	The combination of the male gamete and female gamete to form a zygote.	()
3)	The space which contains all the galaxies, stars, planets and living organisms.	()
4)	It is the speed by which the object moves when it covers equal distances at equal periods of time.	()
5)	An optical piece is thin at its center and more thick at the tips and diverging light rays falling on it.	()
6)	Asexual reproduction takes place in some plants without needing seeds but through their vegetative organs.	()
7)	A group of stars that rotate together in cosmic space by the effect of gravity.	()
8)	The angle between the reflected light ray and the normal line at the point of incidence on the reflecting surface.	()
9)	Fusion of the male gamete and the female gamete to form the zygote.	()
10)	The speed of an object relative to an observer.	()
11)	The force that controls the orbits of the planets around the Sun according to the modern theory.	()
12)	Specialized cells which produce gametes.	()
13)	Changing the position of an object as the time passes according to a fixed point.	()
14)	A point inside the lens that lies on the principal axis at mid distance between the faces of the lens.	()
15)	Something that includes all galaxies, stars, planets and living organisms.	()

S	Science First Term 2022/2023	Prep.3
16)	The rebounding of the light to the same side when it strikes a reflecting surface.	()
17)	It is located in one of the spiral arms of the Milky Way galaxy on the edge of the galaxy.	()
18)	A medical case as a result of the formation of the image behind the retina.	()
19)	The total distance that a moving object covers divided by total time taken to cover this distance.	(
20)	The object's speed changes (increases or decreases) by equal values through equal periods of times.	()
21)	A biological process, where the living organism produces new individuals of the same kind and thus, ensuring its continuity.	()
22)	The angle between the incident light ray and the perpendicular line on the reflecting surface from the point of incidence.	O ,
23)	The nucleic acid that carries the genetic traits of the living organism.	()
24)	A mirror, always forms a diminished image for the object.	()
25)	The displacement in one second.	()
26)	The ability of some animals to compensate their missing parts.	()
27)	The point of connection of the two chromatids in a chromosom	e. ()
28)	line that passes through the optical center of the lens without passing through the two centers of curvature of its faces .	()
29)	The distance between the pole of a spherical mirror and its center of curvature.	()
30)	The speed of a moving body that covers equal distances at unequal time intervals.	()
31)	The speed of a moving object relatively to a constant or a moving observer.	()
32)	The mirror, whose reflecting surface is a part of the inner surface the sphere.	()
33)	A point inside the lens lies on the principal axis in the mid distance between its faces.	()

Mr.Ahmed ElBasha

S	cience First Term 2022/2023	Prep.3
34)	The nucleic acid that carries the genetic traits of the living organisms.	()
35)	Bouncing of the light to the same side when it strikes a reflecting surface.	()
36)	The straight line that passes by center of curvature of the mirror and its pole.	()
37)	A glowing gaseous sphere formed the planets of the solar system.	()
38)	It's a mirror that its reflecting surface is a part of a hallow sphere.	()
39)	The mid-point on the reflecting surface of the mirror.	()
40)	The part in the cell which is responsible for cellular division.	<i>[</i>
41)	The incident light ray, the reflected light ray and the normal line all lie in the same plane perpendicular to the reflecting surface.	()
42)	The combination of a male gamete and a female gamete to from a zygote.	()
43)	A type of asexual reproduction that occurs in simple algae.	()
44)	A phase in which some important vital processes occur to prepare the cell for division and the amount of genetic material duplicates.	()
45)	It is a theory that explains the origin of the universe from a massive explosion since 15000 million years .	()
46)	The mass of cells which result from the abnormal cell when it is continually divided without controlling.	()
47)	It is a very thin plastic lenses and can stick to the eye cornea.	()
48)	A disease that infects the eye lens and it becomes opaque.	()
49)	A vector quantity that equals the displacement in one second.	()
50)	Chemically consists of DNA and protein.	()

Mr.Ahmed ElBasha

51)	Fibers extend between the two poles of the cell in prophase.	()
52)	The image that cannot be received on the screen.	()
53)	A theory assumed that the solar system was originally a big star which is the Sun.	()
54)	A flat gaseous round disk that formed the solar system planets according to the perception of "Laplace" scientist.	()
55)	A cell division that occurs in the somatic cells and results in the growth of the living organism.	()
56)	The actual length of the path that a moving object takes from the starting point of movement to the end point.	()
57)	It is located in one of the spiral arms of the Milky Way on the edge of the galaxy.	<i>(</i>)
58)	The line between the two centers of curvature of the lens passing by the optical center of the lens.	()
59)	The phase which the cell prepares to division by the genetic material (DNA) duplicates.	()
60)	The displacement covered through a unit time.	()
61)	The point of connection of two chromatids of the chromosome together.	()
62)	A type of asexual reproduction that takes place in plants' vegetative organs without the need of seeds.	()
63)	A theory based on an astronomical phenomenon in which a star was glowing for a short time, and then its glowing disappears gradually.	()
64)	The value of an object's speed relative to the observer.	()
65)	The total distance covered by a moving body divided by the total time.	()
66)	The physical quantity that has magnitude only and has no direction .	()
67)	A mirror can be used to get virtual, upright and magnified	()

Mr.Ahmed ElBasha

S	cience First Term 2022/2023	Prep.3
68)	Angle of incidence of the light ray equals its angle of reflection.	()
69)	A mirror used to form virtual, upright and diminished image.	()
70)	The line that joins between the two centres of curvature of the lens passing by the optical centre of the lens.	()
71)	Half the diameter of the sphere, where the face of the lens is a part of it.	()
72)	It is the point of collection of the refracted light rays or their extensions which are produced, when the light rays fall parallel to the principal axis of a lens.	()
73)	Seeing the near objects clearly and seeing the far objects distorted.	()
74)	A flat gaseous round disk that formed the solar system.	()
75)	The biggest star that can be seen by people clearly on the Earth.	()
76)	The scientist who established the nebula theory.	()
77)	A theory assumed that the solar system was originally the Sun.	()
78)	The unit which is used for measuring the distance between celestial bodies.	()
79)	It is a wide and extended space that contains all the galaxies, stars and planets.	()
80)	A theory explains the origin of the universe from a massive explosion since 15000 million years.	()
81)	The theory that is explained the formation of the galaxies and	()

* مواعيد البث المباشر علي يوتيوب ص 11

5

Mr.Ahmed ElBasha

#((2)	Choose	the right	answer:
1257-039-127				

1.The crossing over	phenomenon takes place	e at the end of		
a. prophase I.	b. metaphase I.	c. anaphase I.	d. telophase I.	
.The ability of some animals to compensate their missing parts is called the				
a. budding.	b. regeneration.	c. sporogony.	d. sexual reproduction.	
3.The line between	the centers of curvature	of the lens passing	by the optical centre of	
the lens is called				
	b. principal axis.	The Harden College of College of the College of College		
	ar is 72 km/hour, this me		equals <i>m/s</i> .	
a. 18	b. 20	c. 40		
5.The spindle filam	ents appear during cell d	ivision in		
a. telophase.	b. interphase.	c . prophase.	7	
_	object that lies at the cen	ter of curvature of	f a concave mirror is	
a. real, inverted a			h	
	nd equal to the object.	. 17		
	nd equal to the object.			
	and equal to the object.		<u> </u>	
	al number in the male ga		sm is 20 so, the	
	imber in the liver cell equ		1 10 1	
a. 5 chromosome		- 10	nes. d. 40 chromosomes.	
	b Ered Hayle		d Chambanlain	
a. Laplace	b. Fred Hoyle	c. Hubble	d. Chamberlain	
9.The centromere of each chromosome divides longitudinally and the spindle fibers contract in mitosis during				
a. prophase.	b. metaphase.	c. anaphase.	d. telophase.	
	chromosomes in the game	ete is the	e number of chromosomes	
in the original co				
a. equal to	b. half	c. quarter	d. double	
11.When the body	covers equal distances at	unequal periods of	f time, the speed will be	
a. regular.	b. decelerated.	c. accelerated.	d. irregular.	
12.All the following	cells contain full copy o	f genetic material	except	
a. spore.	b. bud.	c. zygote.	d. pollen grain.	
13.The uniform acc	eleration means that the	object speed	by equal values through	
equal periods of	time.	35.75		
a. increases only		b. decreases only		
c. increases or de	Profession Company (Company Company Co	d. doesn't change		
4.From the scalar physical quantities is the				
 a. acceleration. 	b. time.	c. velocity.	d. displacement.	

26.An object was put at 10 cm from a concave mirror, a real, inverted and equal image was formed, if the object moved 3 cm towards the mirror, so the formed image will be

a. real, inverted and diminished.

b. real, inverted and enlarged.

c. virtual diminished.

d. virtual enlarged.

a. curved.

b. passing by the origin point.

c. parallel to x-axis.

8

d. parallel to y-axis.

Mr.Ahmed ElBasha Mob:

Science	First Term 2022/2023	Prep.3			
55.Property of the image of the object formed by the plane mirror always be					
a. larger than the object.	b. equal to the object.	c. smaller than the object.			
56.scientists believe that the uni	verse emerged from mas	ssive explosion and it is in			
a. continues contraction.		on then expansion.			
c. expansion then contraction.	d. continue	s expansion.			
57.If a light ray falls passing the	ough the optical centre	of the convex lens, it leaves the			
lens					
a. passing through the focus.	b. parallel to the princip	al axis. c. without refraction.			
58. The continuous expansion of	the universe, is due to				
a. separation of galaxies.	b. approaching of galaxi	ies. c. equivalent to galaxies.			
59. The founder of modern theor	y of the solar system is .	scientist.			
a. Moulton	b. Chamberlain	c. Fred Hoyle			
60. The image formed by using a	concave lens is				
a. real, enlarged, and inverted					
b. virtual, smaller and inverted					
c . virtual, smaller and upright					
61.At the end of this phase, the	nucleolus and nuclear m	embrane disappear from the			
mitosis division					
	etaphase.	c. telophase.			
62. When an object is placed between the focus of a convex lens and its center of					
curvature, the formed image					
a. real, inverted and diminishe		erted and magnified.			
c. virtual, erect and magnified.	d. virtual, e	erect and diminished.			
63. The result of multiplying a sp	beed of moving object by				
a. acceleration. b. ma	iss. c. distance.	d. force.			
64 began to form af	ter 3000 million years at	fter the Big Bang.			
a. galaxies. b. an	cestral galaxies. c. the	e Sun. d. the Earth.			
65.If the length of the radius of	curvature of concave mi	rror 20 cm, then the focal length			
of the mirror equals	*****				
a. 5 b. 10	c. 15	d . 20			
66. The Milky Way galaxy took	its disc form after about	million years after			
the Big Bang.		8			
a. 1000 b. 30	0.000 (T.To/-00-0-00000 V	d. 10000			
•	67.From the examples of the vector physical quantities is				
a. time. b. for	c. mass.	d. length.			

Science First Term 2022/2023 Prep.3

68. The optical piece which forms an image that inverted and equal to the object is

a. concave lens.

b. concave mirror.

c. convex mirror.

d. plane mirror.

69. The nucleolus disappears during the mitosis cell division in

- a. prophase.
- b. metaphase.
- c. anaphase.
- d. telophase.

70.(Distance - time) graph for an object moves at regular speed is represented by a straight line

a. parallel to time axis.

- b. parallel to distance axis.
- c. passing through the origin point.
- d. (a) and (c) together.

71. The source of genetic variation is the reproduction.

- a. budding
- b. vegetative.
- c. sexual.

d . regeneration.

تقدر تحضر البث المباشر على يوتيوب لحل الملزمة في المواعيد الاتية بالترتيب:

بث مباشر المراجعات النهائية للصف الثالث الإعدادي على قناة مستر احمد الباشا على يوتيوب:

- 1. البث الأول (الثلاثاء 2023/1/3) الساعة 8:30 م
- 2. البث الثاني (السبت 2023/1/7) الساعة 8:30 م
- 3. البث الثالث (الثلاثاء 2023/1/10) الساعة: 8:30 م
 - 4. البث الرابع (السبت 2023/1/14) الساعة 8:30 م

بث مباشر اضافى:

- 1. الأحد 2023/1/22 الساعة 7 م
- 2. الأثنين 2023/1/23 الساعة 7 م
- 3. الثلاثاء 2023/1/24 الساعة 7 م

ساعة البث المباشر ادخل على يوتيوب واكتب في البحث (مستر احمد الباشا) وادخل على القناة والبث دائما في اول نتيجة تظهر لك ولا تنسي والاشتراك في

القناة

Mr.Ahmed Elbasha

@MrAhmedElbasha • 657 الف مشترك ال Science الحلى قالة استاذا / أحمد البائنا الشرح جميع مذاهج السايلس لمات



11 Mr.Ahmed ElBasha Mob: 01153233911

*****(3) Complete the following:

7	*(3) Complete the following:
1.	The Sun and the surrounding planets revolve around the center of galaxy.
2.	Mitosis occurs in the cells of living organisms.
3.	Distance is a physical quantity, while force is a physical quantity.
4.	The scientist who established the modern theory about the evolution of the solar system
	is
5.	The distance that a moving object covers within a unit time is known as
6.	The incident light ray which is parallel to the principal axis of a concave mirror reflects
	passing through
7.	The scientists believe that the matter of the universe was a ball of high
	pressure and high temperature.
8.	The long-sighted person needs glasses oflens.
9.	Vegetative reproduction in plants happens by division.
10.	scientist who founded the nebular theory.
11.	The spindle fibers are formed during the cell division in
12.	are formed of groups of stars in the universe.
13.	Acceleration is considered one of physical quantities , while time is
	considered one of physical quantities.
14.	The solar system is located in one the arms of the Milky Way on the edge of
	the galaxy.
15.	Somatic cells are divided by, while reproductive cells are divided by
16.	In Milky Way galaxy, the old stars (the older) gather in the of the galaxy.
17.	The incident light ray that passes through the focus of the convex lens, it exits from the
	lens
18.	Mass is considered from physical quantity.
19.	From the scalar physical quantities is, while is from the vector
	physical quantities.
20.	Condensing the cytoplasm in the two poles of the plant cells forms
21.	Crossing over phenomenon happens between the during the meiosis division.
22.	In human and animals, meiosis occurs in to produce the male gametes,

Mr.Ahmed ElBasha Mob: 01153233911 Whatsapp: 01003494547

while it occurs in to produce the female gametes.

12

Mr.Ahmed ElBasha Mob: 01153233911

13

3	Science First Term 2022/2023	rep.3
45.	The displacement covered by a body in one second is called	
46.	Speed measuring unit is, while the measuring unit of acceleration is	
4 7.	The crossing over phenomenon occurs in of division .	
48.	and are types of spherical mirrors.	
49.	The Sun and the planets revolving around it, rotate around the center of ga	laxy.
50.	reproduction doesn't required neither special systems nor structures in	n the
	living organisms.	\mathcal{L}
51.	are used instead of medical glasses to treat vision defects.	10
52.	When the object is placed at of the convex lenses, there is no image v	vill be
	formed.	
53.	The moving car with 50 Km/h in constant direction its speed appears at 110 Km/h	related
	to observer moves with 60 Km/h in direction of the car motion.	
54.	The crossing over phenomenon occurs in of first meiosis division.	
55.	The solar system consists of a number of planets revolve around the S	Sun.
56.	The physical quantity that its magnitude and direction are necessary for identifying	g it is
	called	
57.	A concave mirror has a focal length of 20 cm, then the radius of curvature of its	
	spherical surface equals	
58.	Correcting long-sightedness by using lens and correcting short-sighted	dness
	by usinglens.	
59.	Yeast fungus reproduces asexually by, while the amoeba reproduces	
	asexually by	
60.	image can be received on a screen .	
61.	The stars move in a fixed orbit around the center of the	
62.	The measuring unit of acceleration is	
63.	Asexual reproduction takes place by in the yeast fungus.	
64.	We use lens to obtain a virtual and magnified image.	
65.	The straight distance covered by the object in a certain direction is called	
	The telescope is from the space telescopes.	
	The spindle fibers are formed during the cell division in	
68.	The double of the distance between the optical center of a lens and its focus=	•••••

S	Science	First Term 2022/2023	Prep.3
69.	The velocity is the	in one second.	
70.	Force is considered	physical quantity and mass is consider	red
	physical quantity.		
71.	two factors which can be used	to describe the motion of the body are	and
72.	The (speed - time) graph of mo	otion at uniform speed is represented by	aline
73.	The product of the speed of the	e body x the time =	
74.	If the body moves from rest, so	o its initial speed equals	
75.	is the change of an	n object's position as time passes accordi	ing to the position
	of another object.		C
76.	The graphical relation (speed -	time) for regular motion at uniform spec	ed is represented
	by a straight line	. to the time axis.	>
77.	The secondary axis of the spher	rical mirror is any straight line that passe	s by
	and any point on its surface exc	cept	
78.	The short-sighted person needs	a medical eye glasses with	lenses.
79.	vision defect which is due to a s	shortness in the radius of the eyeball is ca	alled
80.	A point inside the lens lies on the	he principal axis in the mid distance betv	veen its faces is
call	led		
81.	point that is in the middle of th	ne reflecting surface of the concave mirro	or is called
82.	The phenomenon of the light bo	ouncing off in the same medium when it	meets the
refl	ecting surface is called		
83.	The scientist who established th	ne crossing star theory is	
84.	The Sun takes about	years to complete one rotation around	
85.	The stars move in fixed orbits a	around the center of the	
86.	The two gases which produced	galaxies, stars through millions of years	are
	and		
87.	The founder of nebular theory is	S	

مرص على حضور البث المباشر والاشتراك في القناة

Mr.Ahmed ElBasha Mob: 01153233911 Whatsapp: 01003494547

15

*****(4) Correct the underlined words:

16

1	The solar system includes <u>nine</u> planets revolve around the Sun.	
2	The chromosome consists of two chromatids connected at the cytoplasm .	
3	Nebular theory suggested that the solar system originated from a glowing gaseous sphere revolving around the Sun .	
4	The two gases which produced the galaxies, stars and universe over millions of years are helium and <u>nitrogen</u> .	
5	The relative speed of a moving car to an observer at rest is <u>less</u> <u>than</u> the real speed.	
6	Reproduction by spore propagation occurs in paramecium .	
7	Meiosis happens in the somatic cells.	
8	The formed image by the plane mirror is real and inverted.	
9	The Sun takes about <u>100</u> million years to complete one rotation around the center of the galaxy.	
10	If the speedometer points to 72, this is equivalent to <u>15</u> m/s.	
11	In convex mirror, the image is inverted and equal to the object.	
12	Many scientists believe that the universe emerged from a massive explosion 500 thousand years ago .	
13	The chromosomes chemically consists of nuclear acid called (DNA) and <u>fats</u> .	
14	If the radius of curvature of a concave mirror equals 20 cm. its focal length will be $\underline{30}$ cm.	
15	In meiotic cell division, Crossing over phenomenon occurs at the end of Anaphase 1 .	
16	The scientist laplace assumed the modern theory about the origin of solar system.	
17	Concave lens converges the light rays that falling on its surface.	
18	Sudden violent chemical reactions occur within the star which led to its explosion.	

		(127)
19	Reproduction by sporogony occurs in starfish.	
20	The long-sightedness is corrected by using concave mirror .	
21	Amoeba reproduces by budding .	
22	The formed image of an object that is put at the centre of curvature for a convex lens is virtual enlarged.	
23	The spindle fibers are formed in the plant cell from the centrosome .	
24	Chromosomes are arranged at the middle of the cell in the telophase .	
25	Contact lenses can stick to eye <u>iris</u> and can be removed easily.	0
26	Acceleration is the actual length of the path that a moving object takes from the starting point of movement to the end point.	
27	The clear vision for a normal vision person remains, if the object comes closer at a distance not less than <u>60</u> cm.	
28	A phase where some important biological processes occur to prepare the cell for division is called prophase .	
29	Velocity is the quantity that we can identify it accurately by knowing its magnitude only.	
30	If an object is put in front of concave mirror at <u>focus</u> , the formed image is real, inverted and equal to the object.	
31	<u>Crossing star</u> is a glowing gaseous sphere revolving around itself, from which the solar system was originated.	
32	Average speed is the speed of a moving object relative to a constant or a moving observer.	
33	The chromosome consists of two chromatids connected together at the <u>nucleus</u>	
34	The speed of a car can be identified directly by using the compass .	
35	In the universe, groups of planets are gathered to form the galaxies.	
36	When the light ray falls by an angle of <u>30°</u> on the reflecting surface, so the reflected ray will be perpendicular on the reflecting surface.	

37	The parent individual disappears during the reproduction by sporogony .	
38	The universe emerged from the particles of oxygen and nitrogen.	
39	The spindle fibers in the animal cell is formed from condensing the cytoplasm .	
40	The lens is a transparent medium that <u>reflects</u> the light.	
41	In plane mirror the object distance from the mirror is <u>larger</u> than the image distance.	
42	<u>Asexual</u> reproduction is a source of genetic variation.	
43	The Sun takes about <u>250</u> million years to complete one rotation around the center of the galaxy.	<u>O</u>
44	If two cars moving in the same direction at the same speed equal 120 m/sec., so the relative speed equal 60 m/sec.	
45	The scientist Isaac Newton published a research entitled "world order" and that was in 1796.	
46	Mitotic cell division (mitosis) aims to produce gametes.	
47	Yeast fungus reproduce asexually by <u>regeneration</u> .	
48	The lens is a transparent medium that <u>reflects</u> the light and defined with two spherical surfaces.	
49	Amoeba reproduces by Budding .	
50	The old stars are gather in the edges of the galaxy.	
51	The word ambulance is written on ambulance cars minimized.	
52	Number of chromosomes in an ovum cell containing double number of chromosomes in the one of liver cells.	
53	The force is the length of the shortest straight line between two position.	
54	It is a cell produced due to fertilization called tetrad .	

55	<u>The lion</u> is considered one of the fastest wild animals.	
56	The chromosome chemically consists of nuclear acid called DNA and <u>starch</u> .	
57	The irregular speed is the value of displacement at a unit time and is a vector quantity.	
58	<u>The crossing star</u> is the largest star that can be seen from the surface of the Earth.	
59	In the Big Bang theory explains that the universe is formed by the cohesion of Oxygen and Nitrogen particles.	
60	Chromosomes pairs arranged on the cell's equator in anaphase 1.	
61	the solar system is located in one of the <u>circular</u> arms of the Milky Way galaxy.	<u>O</u> -
62	When putting a body on a distance of 16 cm from a concave mirror its focal length is 12 cm, then the image formed will be virtual upright and magnified image.	
63	Displacement is described by magnitude and <u>time</u> .	
64	a boat starts to move from rest till its speed becomes 2.5 m./sec. through 5 sec. this means that it moves with acceleration $\underline{10}$ m/sec ²	
65	The total distance covered by a moving body divided by the total time taken equals the non-uniform speed.	
66	The <u>incident light</u> ray is the light ray that bounces from the reflecting surface.	
67	A concave mirror of focal length 10 cm, so its radius of curvature equals <u>5 cm.</u>	
68	The focus is a point inside the lens placed on the principal axis in the mid distance between its faces.	
69	When an object is placed at the centre of curvature of the mirror, the formed image is real, inverted and enlarged .	
70	The <u>real</u> image cannot be received on a screen.	
71	A spherical mirror whose diameter is 40 cm, so its focal length equals 40 cm.	
72	Eight planets including the Earth rotate around the galaxy .	

*(5) Give reason for:

20

1.	Displacement is a vector quantity.
2.	focal length of a concave mirror can be determined by knowing its radius of curvature.
3.	The continuous expansion of space.
4.	The image formed by the convex mirror can't be received on a screen.
5.	The formed image by the convex mirror is always virtual.
6.	Occurrence of interphase before starting the cell division .
7.	When the object is placed at the focus of a convex lens, the image is not formed.
8.	There are no new races of grapes, when they reproduce by vegetative reproduction.
9.	The nebula lost its sphere form and became in a form of a flat rotating disk.
10	The body which moves at acceleration can't move at a regular speed.
11	Shrinking of spindle fibers during the anaphase.
12	(Distance - Time) graph of an object that moves at uniform speed is a straight line passing through the origin point.
13	Asexual reproduction in living organisms produces individuals identical in genetic structure.
14	.Word ambulance is written in a converted (laterally inverted) way on the ambulance car.

	Science First Term 2022/2023	Prep.3
15	15. The short-sightedness is corrected by using a concave lens.	
16	16.Cellular division begins with interphase before starting mitosis division.	
17	17. The lens had two centers of curvature (C1 and C2).	
18	18.Binary fission is considered a mitotic division.	3
19	19. The force is a vector quantity.	5
20	20. Uniform speed for a car hard to done practically.	
21	21.Crossing over phenomenon is an important factor in genetic variation among of the same species.	ong individuals
22	22. Meiotic division is called by reduction division.	
23	23. Pilots take in consideration the velocity of the wind.	
24	24. The image formed by a plane mirror cannot be received on the screen.	
25	25. When you look at the mirror you see your face image.	
26	26. Mitosis is important for children, unlike the meiosis.	
	27. The perpendicular incident light ray on plane mirror reflects on itself.	
4	28. Cataract disease infects the eye.	
29	29. Sexual reproduction is a source of genetic variation .	

Mr.Ahmed ElBasha Mob: 01153233911

	Science First Term 2022/20	23 Prep.3
	30. There are no new races (new individual with other travegetative reproduction.	ait) of plants, when they reproduce by
31.	31.Occurrence of interphase before starting the mitosis	
32.	32. The constancy of the planets in their orbits around the	
33.	33. The concave lens is used to treat a short-sightedness	person.
34.	34. The word "AMBULANCE" is written laterally inver-	ted way on the ambulance car.
35.	35. The Sun escaped from the gravity of the huge star in	
36.	36. The number of chromosomes is constant in the same	species which reproduce sexually.
37.	37.In short-sightedness, the retina is far from the eye le	18.
38.	38. The object which moves at regular speed, its acceler	ation equals zero.
39.	39. Distance is a scalar physical quantity.	
40.	40. Speed of a moving body increases by decreasing time	e needed to cover a certain distance.

22

	First Term 2022/2025
*	(6) What happen if:
1.	Absence of centrosome in the animal cell.
2.	A light ray is incident passing through the optical center of a convex lens.
3.	Less convexity of the eye lens surfaces.
4.	Approaching of a huge star to the Sun according to the crossing star theory.
5.	When an injured liver or cutting a part of it.
6.	To the displacement of a moving body when it returns back to its starting point.
7.	To the speed of a body if it covers the same distance in half the time.
8.	When rupturing sporangium in bread mound fungus.
9.	To the distance between the image and the plane mirror when the body becomes closer to
	the mirror.
10	Reproductive cells are divided by meiosis.
11	.The initial speed of a moving body is greater than the final speed.
	. The initial speed of a rice ring sody is greater than the final speed.
12	.The combination of the male gamete and female gamete.
	The community the mane gamete and remain gamete.
13	.If the starfish loses one of its arms containing a part of its central disc.
	the startish loses one of its arms containing a part of its central cise.
14	.If the incident light ray falls parallel to the principal axis of concave mirror.
	C

15. Focusing laser on the gold Nano-particles in the cells infected by cancer.

Mr.Ahmed ElBasha

23

	Science	First Term 2022/2023	Prep.3
16.	120	y is incident passing through the center of curvature of a concave mirror	
17.	A light ray	y passes through the optical center of the lens.	
18.		yeast fungus in a warm sugary solution.	_
19.		a gradually lost its heat (from point of view of Laplace scientist).	?
20.	The liver	gets injured or apart of it is cut.	
21.	The parts	of the inner chromatids are exchanged in the first prophase.	
22.		is put at the focus of a convex lens.	
23.	The starfis	sh misses one of its arms and it contains a part of its central disk.	
24.		osome disappears from the animal cell .	
25.		n of a light ray falls on a concave mirror to pass with its focus.	
26.	A body is	placed at a distance less than the focal length of a concave mirror.	
27.	The shorts	ness of the diameter of the eyeball.	

Mr.Ahmed ElBasha Mob: 01153233911

24

*(7) Define each of the following: 1. The scalar physical quantity. 2. The crossing over phenomenon. 3. The optical center of the lens. 4. The binary fission. 5. Contact lens. 6. Tetrad. 7. The focal length of a lens. 8. Zygote. 9. Fertilization. 10.Irregular speed.

Mr.Ahmed ElBasha

Science	First Term 2022/2023	Prep.3
11.The radius of curvature	of a mirror.	
12.Reproduction by sporog	ony (spore propagation).	
13.Average speed.		
14.Angle of incidence.		
15.Regular (uniform) speed	l.	
16.The pole of the mirror.		

Science First Term 2022/2023 Prep.3


*(8) Proble	ms
-------------	----

An object moves in a straight line northward at a speed of 5 m/sec. and its speed reaches 20 m/sec through 3 seconds.

Calculate the following:	
1. The velocity after 3 seconds.	
2. The acceleration of the moving object.	
	1/10
2	0
	The the base and some mayor
Two race cars, the first car moves at a speed of 80 km/h, wh	
at a speed of 120 km/h, in the same direction. Mention the f	
1. The relative speed of the first car relative to an observer standard and the standard stan	
2. The relative speed of the second car relative to passenger in t	
3	
A car moved from rest and its speed became 25 m/s. during 10	seconds.
Calculate its acceleration.	
4	
The opposite figure represents one of meiotic division (meio	sis) nhases :
1. What is the name of this phase?	sis) phases.
2. Draw the phase next to this phase.	

From the opposite graph which represents the motion of a ca


- 1. value of the maximum speed of the car equals m/s.
- 2. The kind of acceleration in part (yz) is



6

In the following two figures:

What is the value of the angle of reflection of the incident rays in figures (A) and (B)?



7

The opposite figure shows a vital phenomenon:

- **1.** What is the name of this phenomenon?
- 2. Mention the name of the phase in which this phenomenon occurs and mention the type of its division.
- **3.** What is the importance of its occurrence?

0 0 0	0 00 0

8


Write the assumptions of crossing star theory for the origin of the solar system (4 assumptions only).

Science	First Term 2022/2023	Prep.3
9		
In the opposite figure, persons.	, two eye lenses for two eyes equal in eye diamete	er for two different
•	hort-sightedness and why?	
		(A) (B)
10		
Through your study	the stages of mitotic division answer the follow	ving:
1. Name the phase tha	at preceding this phase the figure.	
	centromere of each chromosome is split lengthw	ise into two halves?
	spindle fibers disappear?	
4. What the important	ce of interphase?	00
	\	
11		
Explain by drawing		
	convex lens, when the body at a distance greater	than double the
	ite the properties of the formed image.	
		••••••

Mr.Ahmed ElBasha 01153233911

Science	First Term 2022/2023	Prep.3
12		
	ar whose relative speed is (80 km/h) rela	ative to an
observer moving in opposite directi	. A	
		•••••
13		
An object is placed at a distance of	(8 cm) from a concave lens has a focal	length (2 cm):
1. Draw the direction of the ray that	•	
2. Mention the properties of image		1
		•
14		
1. Copy the figure then draw the ra	ys that form the image	$\prod_{\mathbf{x}}$
of the object.	Ċ F	FC
2. The point (X) refers to		
15		
	d e) as shown in figure, he covered a di	stance of 10 m
	overs 30 m. eastward in 10 seconds. an	
40 m. southward in 8 seconds, fina		b 30
1. Calculate the displacement of the	774	,,
from the start of motion to end.	Person	ä
2. In which part of the person motion	on.	† 40
- The state of the person motion	×***,	

his speed was the least?



Mr.Ahmed ElBasha

2. An object is placed in front of a convex lens at a distance less than its focal length.

3. An object placed at the focus of a convex lens.

31


Mr.Ahmed ElBasha Mob: 01153233911

Look at	the following f	igure, then an	swer the foll	owing :	
			(Alle		
	(1)	(2)	(3)	(4)	5
1. What	is the kind of ce	ell division in th	nis figure?		
2. What	is the name of p	hases number ((2) and (3).		O '
3. What	will disappear i	n phase number	r (1).	- 0	
•••••					
	••••••	•••••			
21					
	ach of the followin				
	cting angle of a ligh elocity of a moving		a plane mirror.		
	cting angle for an ir		reflecting surf	ace of a cancav	e mirror.
	•				
22					
An obje	ct is placed at a di	stance of 30 cm f	rom a concave	mirror with a	radius of
0.00	re 40 cm.	stance of 50 cm 1	om a concave	minion with a	radius or
400	late the focal length				
11	by drawing the pat	h of rays that shov	v the formed in	nage in this case	·.
		•••••	***************************************	•••••	
	••••••		••••••	•••••	

Two cells are divided, one of them in the plant stem and the other in the plan if you know the number of chromosomes in each of them is 6 pairs of chromo mention:	100
1. The kind of cell division in each cell.	
2. The number of chromosomes in each resulted cell.	
2. The humber of emomosomes in each resulted cen.	
24	10
In the opposite figure :	
1. Complete the path of the rays to form an image for the object.	
2. Mention the properties of the formed image.	
Object	
C F F	3
V	
25	
A person moves from point (A) to point (B), then changes his direction to point (C)
through 10 seconds, Calculate:	
1. The total distance covered by the person. Zero 2m.	4m.
2. The displacement done by the person	
3. The velocity.	В
	••••••
	••••••
26	
26	
The opposite figure represents the crossing over phenomenon, Answer the fo	llowing :
1. What happens in this phenomenon?	
2. What is the name of the phase in which this phenomenon occurs?	
3. Draw the following phase to the phase in which this phenomenon occurs.	
	M
	118

The opposite figure:


- 1. What is the name of this phenomenon in front of you?
- 2. What is the importance of its occurrence.
- 3. Mention name of phase that this phenomenon occurs?



28

Draw the figure in your answer paper, then:

- 1. Complete the path of the incident rays on the mirror from the object,
- 2. Mention the characteristics of the formed image and its position.



29


The opposite figure represents one of the division phases:


- 1. What is the name of this phase and the type of division?
- 2. What is the name of next phase that follow it.



30

Describe the motion of the object in each of the following graph:





 •••••	•••••	

Mr.Ahmed ElBasha

A racer covered 50 meters northward within 30 seconds then 100 meters eastward within 60 seconds then 50 meters southward within 10 seconds, and then returns back to the start point within 40 seconds:

1.	Calculate	the total	distance	that the	racer	moved	?

2.	What	is	the	average	speed	of	the	racer's)
						-			4


Calculate the displacement	3.	Cal	lcu!	late	the	disp	lacement	
----------------------------------------------	----	-----	------	------	-----	------	----------	--

32

The opposite graph represents the (distance - time) graph for the movement of two objects A, B From the graph, answer the following:

1. What is the kind of speed of the two objects?

2.	Calculate	the ratio	between	the speed	of object A	and the	speed of ob	ject B
						- All 100	1957	




33

The opposite figure represents one of the important process to complete the reproduction. Answer the following:

- **1.** What is the name of the process that number (3) refers to and what is the name of the produced cell?
- **2.** What is the importance of forming the cell number (3)?
- **3.** What is the kind of division in part (4)?
- **4.** What is the number of chromosomes in the cell number (1)?


(



Show by drawing the position of the formed image, by drawing two light rays only.	
35	~~~
"A car starts movement from rest until its sp	peed reaches 25 m/s after 10 seconds."
1. Calculate the value of acceleration.	
2. What kind is the acceleration?	
	0.0
36	

An object moves according to the graphical relation shown in the opposite figure, calculate:

- 1. The speed of the object's motion and mention its kind.
- 2. The time that the object takes to cover a distance of 15 meters.



36 Mr.Ahmed ElBasha 01153233911

Model answer

* (1) Write the scientific term :

- 1. Speed
- 2. Fertilization
- 3. Universe
- 4. Uniform speed
- 5. Concave lens
- 6. Vegetative reproduction
- 7. Galaxy
- 8. Angle of reflection
- 9. Fertilization
- 10. Relative speed 11. Gravity
- (attraction force) Reproductive
- 13. Motion

- cell

- Optical center 15. Universe
- 16. Light reflection
- Solar system 18. Long-
- sightedness
- 19. Average speed Uniform
- acceleration Reproduction process
- Angle of incidence
- 23. DNA
- 24. Convex mirror
- 25. Velocity 26. Regeneration
- mirror 37 Nebula 38. Spherical mirror

Centromere

Non-uniform

Relative speed

Optical center

Light reflection

Principal axis of

Concave mirror

Radius

speed

DNA

Secondary axis

28.

29

30.

31

32.

34.

35

- 39. Pole of mirror Nucleus
- 40. 41. Second law

- Fertilization
- Binary fission 43.
- Interphase Big bang 45.
- 46. Tumor
- Contact lens 47
- 48. Cataract
- Velocity
- 50. Chromosome
- 51. Spindle fiber
- Virtual image Crossing star
- theory
- 54. Nebula Mitotic
- 56. Distance Solar System

- Principal axis
- Interphase
- Velocity Centromere
- Vegetative reproduction
- Star explosion phenomenon
- Relative speed
- Average speed
- Scalar quantity
- 67. Concave mirror 68 First law
- 69. Convex mirror
- Principal axis of lens
- Radius

- 72. Focus
- Short-73. sightedness
- Nebula
- Sun 75. Laplace 76
- Crossing star theory
- Light year 78.
 - Universe
- 80. Big bang
- Big bang

(2) Choose the right answer:

1. A	9. C	17. C	25. B	33. C	41. C	49. A	57. C	65. B
2. B	10. B	18. B	26. B	34. B	42. B	50. C	58. A	66. C
3. B	11. D	19. D	27. A	35. A	43. B	51. D	59. C	67. B
4. B	12. D	20. D	28. B	36. D	44. D	52. C	60. C	68. B
5. C	13. C	21. B	29. D	37. C	45. D	53. C	61. A	69. A
6. C	14. B	22. B	30. A	38. D	46. D	54. B	62. B	70. C
7. D	15. C	23. D	31. A	39. C	47. C	55, B	63. C	71. C
8. D	16. B	24. D	32. D	40. A	48. A	56, D	64. A	

*(3) Complete the following:

- Milky way
- 2. Somatic
- 3. Scalar - vector
- 4. Fred Hoyle
- 5. Speed
- 6. Focus
- 7. Gaseous
- 8. Convex
- Mitosis
- 10. Laplace
- 11. Prophase
- 12. Galaxy
- 13. Vector scalar
- 14. Spiral
- 15. Mitotic meiotic
- 16. Center 17. Parallel to principal
- axis
- 18. Scalar
- 19. Mass force 20. Spindle fiber

- 21. Inner chromatid
- 22. Testis ovary
- 23. Long-sightedness convex
- 24. Distance time 25. Universe - solar
- system 26. Centrosome -
- cytoplasm
- 27. Milky way 28. Virtual
- 29. Prophase
- 30. Motion
- 31. Medical glasses plastic
- Converge diverge
- 33. Milky way edge of galaxy
- 34. Straight, curved
- Nucleus chromosome

- 36. Concave
- 37. Budding
- regeneration 38. Fred Hoyle
- 39. gold
- 40. Concave
- 41. Protein 42. Centrosome condensing of
- cytoplasm
- 43. Hydra 44. Pole of mirror
- 45. Velocity
- **46.** $m/s m/s^2$
- 47. Prophase I first meiotic
- 48. Concave convex
- 49. Milky way
- 50. Asexual
- 51. Contact lens 52. Focus

- 53. Opposite
- 54. Prophase I
- 55. Eight
- 56. Vector
- 58. Convex concave
- 59. Budding binary fission
- 60. Real
- 62. m/s2
- 64. Convex
- 66. Hubble
- 67. Prophase
- 68. Radius
- 70. Vector scalar
- 72. Straight

- 73. Distance
 - 74. Zero
 - 75. Motion
 - 76. Parallel 77. Center of curvature -
 - pole of mirror 78. Concave
 - 79. Long-sightedness
 - 80. Optical center
 - 81. Pole of mirror
 - 82. Light reflection 83. Chamberlain and
 - moulton 84. 220 Million - milky way
 - 85. Galaxy
 - 86. Hydrogen and helium
 - 87. Laplace

(4) Correct the underlined words:

- Centromere
- 3. Itself

2.

- Hydrogen 4. Equal
- Mushroom
- Reproductive cell
- Virtual and erect
- 9. 220
- 13. Protein

- 10.20 11. Concave
- 14.10
- 12. 15000 million 27. 25
- 15. Prophase I 16. Fred Hoyle

- 17. Diverge
- 18. Nuclear 19. Binary fission
- 20. Convex lens
- 21. Binary fission 22. Less than focus 23. Condensing of
- cytoplasm
- Metaphase 25. Cornea
- 26. Distance
- 28. Interphase 29. Magnitude and
- direction 30. Center of curvature

- 31. Nebula
- 32. Relative speed
- 34. Speedometer
- 36. Zero
- 37. Binary fission Hydrogen and
- helium
- 40. Refract
- 43.220

- 33. Centromere

- 39. Centrosome
- 42. Sexual

- 35. Stars

- 41. Equal
- 44. zero 45. Laplace

- 57, 40

- 61. Galaxy
- 63. budding
- 65. Displacement
- 69. Displacement
- 71. Distance time
- division
- 48. Refract
- 50, Center
- Displacement
- 54. Zygote
- 56. Protein 57. Velocity
- Hydrogen

- 46. Meiotic cell
- 47. Budding
- 49. Binary fission
- 51. Laterally inverted 52. Half
- 55. Cheetah
- 58. Sun
- 60. Metaphase I

- 61. Spiral 62. Real - inverted

63. Direction

- 64. 0.5 65. Average
- 66. Reflected ray 67, 20 68. Optical center
- 69. Equal to object 70. Virtual
- 71.10 72. Sun

01153233911 Whatsapp: 01003494547

37

Mr.Ahmed ElBasha

*(5) Give reason for:

- 1. Because they have magnitude and direction
- 2. Because focal length (f) = 1/2 x radius of curvature (r)
- 3. Due to the movement of galaxies apart
- 4. Because it is a virtual image.
- 5. Because it is formed behind the mirror from the intersection of the extensions of the reflected light rays and it can't be received on a screen.
- To prepare the cell for division through some important biological processes where the amount of genetic material duplicates.
- 7. Because the penetrating rays from a lens don't meet and pass through a parallel way at infinity.
- Because vegetative reproduction depends on mitotic division, in which the produced cells contain a full copy of the genetic material of the parent cells.
- 9. because its revolving speed around itself increased.
- 10. Because its speed changes by passing time.
- 11. To form two identical groups of chromosomes at each pole of the cell.
- 12. Because the distance is directly proportional to the time when the object moves at a constant speed.
- 13. Because it occurs through one parental individual and through a mitotic division as the new individual gets a genetic copy identical to the parent.
- 14. Because the mirrors of the cars in front of the ambulance car, form a laterally inverted image for this word, and thus it appears laterally corrected to the drivers.
- 15. Because the concave lens diverges the rays corning from a far object, so the image is formed on the retina
- 16. To prepare the cell for division through some important biological processes where the amount of genetic material duplicates.
- 17. Because they have two circular surfaces, each surface has a center.
- 18. Because two identical cells are produced, each one is identical to the original cell.
- 19. Because they have magnitude and direction
- 20. Because its speed changes by passing time.
- 21. Because it contributes in genes exchanging between the two homologous chromosome's chromatids and distributing them randomly in the gametes.
- 22. Because the produced cells contain half the number of chromosomes of the original cell.
- 23. Because the direction of the wind affects the velocity of the plane and hence the time of the trip and the amount of the fuel consumed.
- 24. Because it is a virtual image.
- 25. Due to light reflection.
- **26.** Because mitosis division plays an important role in growth which the body of children needs, while meiosis division aims to the production of gametes in adults only.
- 27. Because the angle of incidence equals the angle of reflection equals zero.
- 28. Due to the following reasons: Old age: Illness: Side effects of drugs: Genetic readiness:
- 29. Due to the occurrence of the crossing over phenomenon during it.
- **30.** Because vegetative reproduction depends on mitotic division, in which the produced cells contain a full copy of the genetic material of the parent cells.
- 31. To prepare the cell for division through some important biological processes where the amount of genetic material duplicates.
- 32. Due to the Sun gravity.

1

- 33. Because concave lens diverges the rays corning from a far object, so the image is formed on the retina.
- **34.** Because the mirrors of the cars in front of the ambulance car, form a laterally inverted image for this word, and thus it appears laterally corrected to the drivers.
- 35. Due to the explosion in the expanded part of the Sun that faces the huge star.
- **36.** Due to meiosis division (which reduce the number of chromosomes) in gametes, then the combination of male gamete (N) and female gamete (N) to form a zygote which contains the whole number (diploid number) of chromosomes (2N).
- 37. Due to the increase in the eyeball diameter.
- **38.** Because its speed doesn't change by passing time ($\Delta V = Zero$).
- 39. Because they have magnitude only and have no direction
- **40.** Because speed = d/t so, speed is inversely proportional to the time.

Mr.Ahmed ElBasha Mob: 01153233911 Whatsapp: 01003494547

*(6) What happen if:

- 1. The spindle fibers are not formed therefore the cell division doesn't completed.
- 2. It passes through the lens without refraction.
- 3. This causes long-sightedness
- 4. The star attracted the Sun to it which led to a great expansion in the part of the Sun facing it.
- 5. The remaining cells undergo many mitotic divisions to compensate the missing part.
- 6. The displacement equal zero
- 7. It will increase to double
- A large number of spores are released.
- 9. The image will move close to the mirror
- 10. They will produce the gametes that contain the half number of chromosomes.
- 11. The body speed decreases by passing time and the movement is described as a decelerating motion.
- 12. A zygote is produced which when it grows, it gives a new offspring with traits of its parents
- 13. This part grows forming a new individual
- It reflects passing through the focus.
- 15. the nano-molecules of gold which stuck the surface of cancerous cell absorb the light of laser and convert it into heat which leads to burn and kill the infected cell.
- 16. It reflects on itself.
- 17. It passes through the lens without refraction.
- 18. The yeast fungus reproduces asexually by budding forming a new fungus separated from the parent cell or it remains connected to the parent cell forming a colony.
- 19. Its size contracted and its revolving speed around itself increased
- 20. The remaining cells undergo many mitotic divisions to compensate the missing part
- 21. Crossing over phenomenon occurs.
- 22. No image is formed.

2

- 23. The starfish compensates its lost arm and the arm forms new individual if it contains a part of the central disc.
- 24. The spindle fibers are not formed therefore the cell division doesn't completed.
- 25. It will reflection parallel to principle axis
- 26. A virtual, erect and magnified image is formed behind the mirror
- 27. This causes the shortness of the radius of the eye sphere, thus the retina is close to the eye lens and this causes long-sightedness



Mr.Ahmed ElBasha Mob : 01153233911 Whatsapp : 01003494547

*(7) Define each of the following:

- 1. It is the physical quantity that has magnitude only and has no direction.
- 2. It is a phenomenon that takes place at the end of prophase I and, in which some parts of the two inner chromatids of each tetrad are exchanged to produce new genetic arrangements.
- 3. It is a point inside the lens that lies on the principal axis in the mid distance between its faces.
- It is a type of asexual reproduction where the nucleus divides mitotically, then the cell splits into two identical cells
- 5. They are very thin lenses made of plastic and can stick to the eye cornea by the eye fluid
- 6. They are the arrangement of homologous pairs of chromosomes where each pair consists of 4 chromatids.
- 7. It is the distance between the principal focus and optical center of the lens.
- **8.** It is a cell produced due to fertilization and it contains the complete number of chromosomes of the living organism
- 9. It is the combination of a male gamete (N) and a female gamete (N) to form a zygote (2N)
- 10. It is the speed by which the object moves when it covers equal distances at unequal periods of time.
- 11. It is the radius of the sphere that the mirror is a part of it.
- 12. It is a type of asexual reproduction that occurs in some fungi and algae by producing spores.
- 13. It is the regular speed by which the object moves to cover the same distance at the same period of time.
- **14.** It is the angle between the incident light ray and the normal.
- 15. It is the speed by which the object moves when it covers equal distances at equal periods of time (whether the distance and time are short).
- **16.** It is the point that lies in the middle of the reflecting surface of the mirror.



Mob: 01153233911 Whatsapp: 01003494547

*(8) Problems

2	 The velocity after 3 sec is 20 m/s northward direction. Acceleration (a) = Final speed (V₂) - Initial speed (V₂) Time at which change occurs (Δt) a = 20-5/3 = 15/3 = 5 m/s² The relative speed of the first car relative to an observer standing on one side of the race road = 80 km/h. The relative speed of the second car relative to passenger in the first car = 120 - 80 = 40 km/h. 	8	 Assumptions of the crossing star theory: It assumed that the origin of the solar system was the Sun. 1. Another huge star (crossing star) approached to the Sun. 2. This star attracted the Sun to it which led to a great expansion in the part of the Sun facing this star. 3. The expanded part from the Sun was exploded which led to: The Sun escaped from the gravity of that star. A gaseous line was formed of a great length from the Sun to the last planets. 4. The gaseous line started to condense due to the attraction force, then it cooled forming the planets.
3	Acceleration (a) = $\frac{\Delta V}{\Delta t} = \frac{V_2 - V_1}{\Delta t} = \frac{25 - 0}{10} = 2.5 \text{ m/s}^2$	9	 The person who has the eye lens (A) suffers from short-sightedness. As the convexity of this lens face is large, so the
4	1. Metaphase I 2. Anaphase I Anaphase I	10	focus nearer to the optical centre which lead to form a shorter focal length for the eye lens, so an unclear image is formed in front of the retina.
5	1. 60 2. negative acceleration (Decelerating motion).		 prophase. Anaphase. Telophase. The cell prepare itself for division.
6	(A) The angle of reflection = 60° (B) The angle of reflection = zero		
7	1. Crossing over phenomenon. 2. – This phenomenon occurs at the end of prophase I. – The type of the division is meiotic division. 3. Its importance: It works on the variation of genetic traits among the members of the same species, where it contributes in genes exchanging between the two homologous chromosome's chromatids and distributing them randomly in the gametes.	11	Object C F C Image The properties of the formed image: — real, inverted and diminished.

4

Mr.Ahmed ElBasha


Mob: 01153233911 Whatsapp: 01003494547

12	Actual speed = relative speed – observer's speed.

$$= 80 - 30$$

= 50 km/h

13 1.



2. The properties of the formed image: virtual, erect and diminished.

- 1. Virtual, erect and diminished image always formed.
- 2. Virtual, erect and magnified image is formed at the same side of the object.
- 3. No image is formed.


20

- 1. Mitotic division.
- Metaphase anaphase.

3. Nucleolus and nuclear membrane

14

1.



2. The optical centre

15

1. The displacement =
$$40 - 10 = 30$$
 m. To the south.

2.
$$V_{(ab)} = \frac{10}{2} = 5$$
 m/sec.

$$V_{\text{(bc)}} = \frac{30}{10} = 3 \text{ m/sec.}$$

$$V_{(cd)} = \frac{40}{8} = 5 \text{ m/sec.}$$

$$V_{\text{(de)}} = \frac{30}{5} = 6 \text{ m/sec.}$$

.. The person moves with the least possible speed in the part (bc).

16

1. Distance = AB + BC =
$$60 + (60 - 20) = 100 \text{ m}$$

speed = $\frac{d}{t} = \frac{100}{10} = 10 \text{ m/sec}$.

2. Velocity =
$$\frac{\text{displacement}}{\text{time}} = \frac{20}{10} = 2 \text{ m/sec.}$$

17

1. Mitosis.

- 2. Metaphase.
- 3. The growth of living organism.
 - The compensation of the damaged cells.

18

1. Velocity =
$$\frac{\text{displacement}}{\text{time}} = \frac{\text{zero}}{1} = \text{zero}$$

2. Average speed = $\frac{\text{total distance}}{\text{total time}}$ $=\frac{80}{1}$ = 80 km/h. 21


- 1. When the incident light ray falls prependicular on the reflecting surface, Incident angle = Reflecting angle = zero.
- 2. When the moving object returns back to the same starting point, The displacement = zero, and so velocity = zero.
- 3. When the incident light ray falls passing through the centre of curvature of a concave mirror.

Incident angle = Reflecting angle = zero

22

1. Focal length =
$$\frac{r}{2} = \frac{40}{2} = 20 \text{ cm}$$

2.



1. In the plant stem cell: mitosis 23

In the ovary cell: meiosis.

2. The resulted cell from mitosis: 6 pairs The resulted cell from meiosis: 3 pairs.

24



2. The properties of the formed image Virtual, upright and magnified.

25

- 1. The total distance = $\overline{AB} + \overline{BC} = 4 + 1 = 5 \text{ m}$
- 2. Displacement = $\overline{AB} \overline{BC} = 4 1 = 3$ m in the direction of east
- 3. The velocity = $\frac{\text{displacement}}{\text{time}} = \frac{3}{10}$ = 0.3 m/sec. in the direction of east

Mr.Ahmed ElBasha


Mob: 01153233911 Whatsapp: 01003494547

26	1. Some parts of the two inner
	chromatids of each tetrad are
	exchanged to produce new
	genetic arrangment.



- 2. Prophase 1 (at its end).
- 3. The drawing of metaphase 1
- Metaphase I
- 27 1. Crossing over phenomenon.
 - 2. It works on the variation of the genetic traits among the members of the same species.
 - 3. Prophase 1 (at its end).

28 1.



2. The properties of the formed image, and its position:

Real – inverted – magnified, at a distance greater than radius of curvature (double focal length).

- 29 1. Metaphase 1 First meiotic division.
 - 2. Anaphase 1.
- 30 1. The object moving with uniform speed.
 - 2. The object is at rest.
- 31 1. Total distance = 50 + 100 + 50 + 100 = 300 m
 - 2. Average speed = $\frac{\text{total distance}}{\text{total time}} = \frac{300}{140}$ = 2.14 m/sec
 - 3. Displacement = zero.
- 32 1. Both objects move with a regular speed.
 - 2. V (of object A) = $\frac{4}{2} = \frac{2}{1} = 2$ m/sec.


V (of object B) = $\frac{4}{4} = \frac{2}{2} = 1$ m/sec.

V(A): V(B) = 2:1

33

- 1. Fertilization zygote.
- The zygote contains the whole number of chromosomes which present in its species, and also its genetic trait comes from two sources (male gamete and female gamete).
- 3. Mitosis division.
- 4. (N).

The properties of the formed image: real, inverted and magnified.



- 35
- 1. $a = \frac{V_2 V_1}{t} = \frac{25 zero}{10} = 2.5 \text{ m/sec}^2$
- 2. It is a positive acceleration.

It's kind is a regular speed.

- 36
- 1. $V = \frac{5}{1} = \frac{10}{2} = \frac{15}{3} = \frac{20}{4} = 5$ m/sec.
- 2. 3 seconds
- 3. 20 meters

Mob: 01153233911 Whatsapp: 01003494547



Unit 1 Lesson 1: Motion in One Direction

✓ Motion:

It is the change of the position of a body as time passes relative to the position of another fixed object.

√ Speed:

It is the distance moved through a unit time.

√ The two factors necessary for the description of speed are:

The distance covered by the moving body.

The time taken by the moving body to cover this distance.

✓ Speed (v) =
$$\frac{\text{distance (d)}}{\text{time (t)}}$$

- Speedometer help us to identify the speed of car, planes, etc.....
- ✓ Average speed:

It is the total distance covered by the moving object divided by the total time taken to cover this distance.

It is the regular speed by which the object moves to cover the same distance at the same period of time.

✓ Average speed =
$$\frac{\text{total distance}}{\text{total time}}$$

✓ Relative speed:

It is the speed of a moving object relative to a constant or a moving observer.

Measuring the relative speed depends on the position of the observer.





Choose the correct answer.

choose the correct answer.
1- A moving car covers 500 m in 20 sec. so, its speed equals
a. 25 km/h.
b. 20 km/h.
c. 25 m/s.
d. 20 m/s.
2- The two factors which are necessary for the description of motion are the
a. weight and length.
b. time and area.
c. speed and time.
d. distance and time.
3- Speed measurement unit is
a. metre.second.
b. metre/second.
c. Metre²/second.
d. metre/second².
Write the scientific term.
1- The thing which moves with constant speed in the space. ()
2- The change of object's position as time passes. ()
The change of objects position as time passes.
39 Julian Virtual Julios
Complete the following statements.
1is a physical quantity which is used to describe and compare the motion of
objects.
2- Distance =
3- A car which travels a distance of 180 km with a regular speed 90 km/h needs
hours to cover this distance.
4is defined as the covered distance within a unit time.
5- The movement of the body is described as regular when itsspeed is equal to it
speed.
6- The measuring of relative speed depends on the
7- Average speed =÷
8- When the relative speed of a moving object is less than its real speed, therefore the

observer moves in the direction of the moving object.



What is meant by	- V	Vhat	is m	eant	bv.	?
------------------------------------	-----	------	------	------	-----	---

1- A car covers a distance 150 km in 3 hours.
2- A train moves at a regular speed 70 km/h.
3- The distance covered by a body is changed by 2 m each one second.
4- The body moves with a uniform speed.
5- The speed of a body equal <mark>s zero.</mark>
6- The average speed of a m <mark>oving car is 60 km/h.</mark>
7- The relative speed.
8- The relative speed of a moving object equals zero.
9- The body moves with irregular speed.
Give reasons for: 1- The motion of a train can be considered as a motion in one direction.
2- The object speed increases by decreasing the time needed to cover a certain distance.
3- It is difficult to measure the regular speed of a moving car practically.
4- A moving car seems to be at rest relative to an observer in another moving car beside it with the same speed and direction.
5- The train moves at an irregular speed.



Problems:

FIODICIIIS
1- A moving object covers a distance 80 metres in 4 seconds then, it covers 120 metres in 6 seconds.
a. Calculate the speed of the object in each period.
b. Mention the kind of speed (giving reason).
2- Which of the following moves at a higher speed?
a. A train moves at 72 km/h.
b. A bird covers 20 metres in one second.
3- A plane moved from Aswan to Cairo in one hour. It covers a distance of 1000 km. Calculate
the reading of the speedometer by (km/h & m/sec.) if you know that the plane moves with a
regular speed.
4- Two cars move at the same moment and the same start position, the first car moves at spee
of 90 km/h the second one moves at speed of 100 km/h.
Calculate the time difference between the arrivals of two cars to the end position which
faraway the start position by 180 km.
5- A body moves by a average speed of 25 m/sec. through 5 sec. then it moves by a average
speed of 22 m/sec. through 7 sec. Calculate:
a. The total distance covered by the body.



b. The average speed from the start motion to its end.



Unit 1 Lesson 2: Graphic Representation of Moving in a Straight Line

- ✓ Physicists use other mathematical relation like graphs and tables.
 In order to:
- Predict the relation between certain physical quantities.
- Understand practical results.
- Describe the physical phenomena in an easier way.
 - ✓ Acceleration:
- It is the change of an object speed in one second in a specific direction.
- It is the rate of change of speed.
- Acceleration = $\frac{\text{final speed (V2-V1)}}{\text{time (\Deltat)}}$
- Measuring units of acceleration: m/sec2 or km/h2
 - ✓ Uniform acceleration:

It is the acceleration by which an object moves in a straight line when its speed changes by equal values through equal periods of time.

✓ Positive acceleration:

It is the acceleration by which an object moves in a straight line when its speed increases by equal values through equal periods of time. (initial speed < final speed).

✓ Negative acceleration:

It is the acceleration by which an object moves in a straight line when its speed decreases by equal values through equal periods of time. (initial speed > final speed)

Zero acceleration:


(initial speed = final speed)


Complete the following statements.


1- The graphical relation (distance-time) for a uniform speed is represented by
line passing through the point of
2- The graphical relation (speed-time) for a uniform speed is represented by a straight line
to the axis.
3- The measuring unit of acceleration is
4- The motion of an object is described as a decelerating motion when its speed
is greater than itsspeed.
5- When the body moves from rest so, its initial speed equals and the body moves
with acceleration



Describe the motion of the body in each of the following graphs.







What is meant by...?

1- The ratio d/t for a moving body is constant.

2- The slope of the straight line in graphic relationship (distance-time) for a moving body =50.

3- A body moves at zero acceleration.


4- An object moves with negative acceleration equals 5 m/sec².

5- The initial speed of a moving body is less than its final speed.

Problems:


1- The following table represents the distances covered by a moving body through different time's intervals:

Distance (d)	5	10	15	20	25
Time (t)	1	2	3	4	5



b. Calculate the speed from the graph.

c. Mention the kind of speed (giving the reason).







2- Study the opposite figure, then determine the time interval during which the body:









3- The opposite graph represents the movement of an object. Calculate:








Choose the correct answer.

1- The acceleration (a) equals

- a. ΔV Δt
- b. AV x At
- c. $\Delta t / \Delta V$
- d. $\Delta V / \Delta t$

2- Which of the following graphs represents a body moves at zero acceleration?




3- When an object moves with acceleration = zero, this means that the

- a. speed is changed.
- b. acceleration increases.
- c. body moves with deceleration.
- d. speed of the body is constant.





- 4- The relative speed of a moving object relative to an observer moves at the same speed in the opposite direction is the actual speed.
 - a. double
 - b. the same
 - c. half
 - d. quarter
- 5- It is said that the object moves at a uniform acceleration when
 - a. its final speed is equal to its primary speed.
 - b. its speed increases by equal amounts at equal times.
 - c. it covers equal distances at equal times.
 - d. no correct answer.
- 6-is the change of an object speed in one second.
 - a. Speed
 - b. Acceleration
 - c. Time
 - d. Distance
- 7- If the uniform speed of a car is 72 km/h, so its speed in (m/sec.) equals.....
 - a. 20 m/sec.
 - b. 25 m/sec.
 - c. 18 m/sec.
 - d. 40 m/sec.
- 8- The opposite graph represents the movement of a bicycle that got a hole in one of its tires and it tookminutes to be repaired.
 - a. 20
 - b. 30
 - c. 70
 - d. 40





Unit 1 Lesson 3: Physical Quantities; Scalars and Vectors

✓ Scalar physical quantity:

It is the physical quantity that has magnitude only and has no direction. (mass, time, speed)

✓ Vector physical quantity:

It is the physical quantity that has magnitude and direction. (force, velocity, displacement.....)

✓ Distance:

It is the actual length of the path that a moving object covers from the starting point to the ending point.

✓ Displacement:

It is the distance covered at a certain direction from the primary position of movement towards its final position.

✓ Amount of displacement:

It is the length of the shortest straight line between two positions (primary position and final position).

Choose the correct answer.

- 1- Which of the following physical quantities are scalar quantities?.....
 - a. the radius and the area.
 - b. the time and the force.
 - c. the acceleration and the velocity.
 - d. the mass and the displacement.
- - a. speed.
 - c. displacement.
 - d. force.
 - b. acceleration.
- 3- All of these are from the examples of the scalar physical quantities except
 - a. the force and the acceleration.
 - b. the time and the mass.
 - c. the mass and the speed.
 - d. the time and the speed.




	4- The shortest distance covered by a body in a certain direction is called the
	a. distance.
	b. displacement.
	c. acceleration.
	d. speed.
	5- When an object moves in a direct straight line in one direction, therefore
	a. distance > displacement.
	b. distance = displacement.
	c. distance < displacement.
	d. displacement = zero.
	Give reasons for:
	1- Speed is a scalar quantity, while velocity is a vector quantity.
	2- Pilots take in consideration the velocity of wind.
	What is meant by?
	1- Scalar physical quantity.
	2- Amount of displacement.
	3- Vector physical quantity.
	Complete the following statements
•	Complete the following statements.
	1 is the rate of change of displacement, while is the rate of
	change of distance.
	2- Average velocity = ÷
	3- Physical quantities are classified into and and



Problems:

1- From the opposite figure:


Calculate the displacement of the car after time equals:




- a. 2 seconds.
- b. 5 seconds.

2- A hand-ball field in the form of a rectangle of 60 metres long and 40 metres wide. What is the amount of distance and displacement covered by a player moves around the field one complete cycle?

3- In the opposite figure, a car starts motion from point (A) to point (F) passing by points (B), (C), (D) and (E).






- c. Velocity if you know that the total time spent by the car equals 0.033 hours.

4- In the shown figure, a body began its movement from point (A) to the south till point (B) covering a distance of 30 m through 3 seconds, then to the east till point (C) which is 40 m far from point (B) through 4 seconds.

Calculate:

a. Distance and displacement covered by the body.

Average speed by which the body is moving.





(C)

(B)

40m

5- From point (A), a body covered 20 metres northward within 10 seconds, then 40 metres eastward within 20 seconds, and then 20 metres southward within 10 seconds as shown in the figure.

Calculate:

	a. The value of the total distance that the body covered.		North	7
		20m	West - East	200
b.	Total time.		South	
		(A)	40m	(D)

C.	Average velocity.	

d.	What does the direct	line between	point (A) and	point (D)	represent?
	Title does are an est	. IIII Decile	DO	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	epicociici imminimi





Unit 2 Lesson 1: Mirrors

✓ First law of reflection:

Angle of incidence = Angle of reflection

√ Second law of reflection:

The incident light ray, the reflected light ray and the normal line to the reflecting surface at the point of incidence all lie in one plane perpendicular to the reflecting surface.

✓ The normal:

is the perpendicular line to the reflecting surface on the point of incidence.

✓ The incident light ray:

is the light ray that falls on the reflecting surface.

✓ Angle of incidence:

is the angle between the incident light ray and the normal.

√ The reflected light ray:

is the light ray that bounces (returns back) from the reflecting surface.

✓ Angle of incidence:

is the angle between the reflected light ray and the normal.

√ The plane mirror:

is a piece of plane glass, painted from behind with a thin layer of silver metal to give the glass a bright surface that reflects the incident light rays that fall on it.

✓ Concave mirror:

is a mirror, whose reflecting (shining) surface is a part of the inner surface of the sphere.

✓ Concave mirror is called converging mirror:

As it converges (collects) the parallel light rays that falls on its surface.

✓ Convex mirror:

is a mirror, whose reflecting (shining) surface is a part of the outer surface of the sphere.

✓ Convex mirror is called diverging mirror:

As it diverges the parallel light rays that fall on its surface.

✓ Concepts related to the spherical mirrors.

1- Centre of mirror curvature (C):

It is the centre of the sphere that the mirror is considered as a part of it.

2- Pole of the mirror (P):

It is the point that lies in the middle of the reflecting surface of the mirror.

3- Radius of mirror curvature (r):

It is the radius of the sphere that the mirror is a part of it.



OR It is the distance between the centre of mirror curvature (C) and any point on its reflecting surface.

4- Principal axis of the mirror:

It is the straight line that passes by the pole of the mirror (P) and its centre of curvature (C).

5- Secondary axis of the mirror:

It is any straight line that passes by the centre of curvature of the mirror and any point on its reflecting surface except the pole of the mirror.

6- Focus of the mirror (F):

It is the point of collection of the reflected light rays.

7- Focal length of the mirror (f):

It is the distance between the focus of the mirror (F) and its pole (P). $f = \frac{1}{2} r$



The position of the object from the concave mirror	The position of the image from the concave mirror	The properties of the formed image		
1- Very far	At the focus.	RealVery tiny		
2- At a distance greater than the radius of curvature.	At a distance greater than the focal length, but less than the double of focal length.	RealInverteddiminished		
3- At a distance equals the radius of curvature.	At the centre of curvature (C).	RealInvertedEqual to the object		
4- At a distance greater than the focal length, but less than the radius of curvature.	After the centre of curvature (C).	RealInvertedMagnified		
5- At a distance less than the focal length.	Behind the mirror.	VirtualUprightErectMagnified		
6- At the focus.	No image is formed.			



The position of the object from the convex mirror	The position of the image from the convex mirror	The properties of the formed image
At any place in front of the convex mirror.	Behind the mirror.	VirtualErectDiminished

Complete the following statements.

1- The reflecting surface of the convex mirror is a part ofsurface of the sph	surface of the sphere.	a part of	convex mirror	urface of the	1- The reflecting
-------------------------------------------------------------------------------	------------------------	-----------	---------------	---------------	-------------------

- 2- The radius of curvature of the convex mirror equals its focal length.
- 3- From types of mirrors are and and
- 4- The image formed by a plane mirror for an object is, reversed,....., reversed,...... and equals to the object in size.
- 5- The focus of the concave mirror is the point of collection of the rays after beingfrom the mirror.
- 6-mirror diverges light rays, whilemirror converges light rays.
- 7- A convex mirror has a focal length of 20 cm, then the radius of curvature of its spherical surface equals
- 8- When a body lies in front of a concave mirror at a distance.....of its focal length, a real, smaller and image is formed.
- 9- A virtual, erect and enlarged image can be formed by mirror.

Choose the correct answer.

- 1- The rebounding of the light ray in the same medium when it meets a reflecting surface is known as the
 - a. incident light ray.
 - b. reflected light ray.
 - c. light reflection phenomenon.
 - d. light refraction phenomenon.






2- The straight line passing by the pole of the mirror and its centre of curvature represents

......

- a. the pole of the mirror.
- b. the secondary axis of the mirror.
- c. the principal axis of the mirror.
- d. there is no correct answer.
- 3- A spherical mirror whose radius of curvature equals 40 cm., its focal length equals......
 - a. 10 cm.
 - b. 20 cm.
 - c. 40 cm.
 - d. 80 cm.
- 4- If a body is put in front of a plane mirror as shown in the opposite figure:
- (A) The distance between the image and the mirror surface is..... Body



- a. 2 cm.
- b. 3 cm.
- c. 1 cm
- d. 4 cm.
- (B) If the mirror moves a distance of 1 cm in the direction of the body so, the distance of the image from the first image is
 - a. 1 cm.
 - b. 2 cm.
 - c. 3 cm.
 - d. 4 cm.
- 5- When an object is put in front of a concave mirror at the centre of mirror curvature, the properties of the formed image are......
 - a. real, inverted and small.
 - b. real, inverted and equals to the object.
 - c. real, inverted and magnified.
 - d. virtual, erect and magnified.
- 6- If the position of the formed image of an object at a distance greater than the radius of curvature of a concave mirror, so the position of the object is
 - a. at the centre of curvature.
 - b. at a distance less than the focal length.
 - c. between the focus and the centre of curvature.
 - d. very far.





Egyptian V
7- If a light ray falls parallel to the principal axis on a concave mirror, it reflects
a. passing through the centre of curvature of the mirror.
b. passing through the focus.
c. on itself.
d. there is no correct answer.
8- If the focal length of a concave mirror equals 10 cm, to obtain a virtual image, the body is
placed at a distance from the mirror pole equals
a. 10 cm.
b. 15 cm.
c. 20 cm.
d. 5 cm.
Give reasons for:
1- The word AMBULANCE is written in a converted way on the ambulance car.
2- The perpendicular incident light ray on a plane mirror reflects on itself.
3- Concave mirror is used to generate high heat energy.
4- A convex mirror is put at the left side of the driver of the car.
5- The image formed by a convex mirror is always virtual.
Put (√) or (x) in the front :
1- Focal length of the mirror = 2 × radius of mirror curvature.
()
2- The straight line joining the object to its image is parallel to the surface of the plane mirror.
()

).....

3- Angle of incidence is the angle between the incident light ray and the normal.

4. The centre of mirror curvature lies behind the reflecting surface in the concave mirror.



Problems:

1- If the angle between the reflected light ray and the reflecting surface = 40°. Find the angle of incidence.
2- A person stands in front of a plane mirror at a distance of 10 metres. What is the distance he must move, so that the distance between him and his image can become 6 metres.

- 3- A. Show by drawing the path of rays which form an image in the following cases:
 - a. An object is put in front of a concave mirror at a distance equals the double of the focal length.
 - b. An object is put in front of a concave mirror at a distance less than the focal length.





Unit 2 Lesson 2: Lenses

✓ Lens:

It is a transparent medium that refracts the light and it is limited with two spherical surfaces.

✓ Convex lens (converging lens):

It is a transparent optical piece which is thick at its centre and less thickness at the tips.

✓ Concave lens (diverging lens):

It is a transparent optical piece which is thin at its centre and more thickness at the tips.

- Convex lens is called converging lens, as it collects light rays falling on it.
- Convex lens is called converging lens, as it collects light rays falling on it.
- ✓ Special concepts related to the lenses

1- Centre of curvature of the lens face (C):

It is the centre of the sphere, where this face is a part of it.

2- The optical centre of the lens (P):

It is a point inside the lens that lies on the principal axis in the mid distance between its two faces.

3- Radius of curvature of the lens face (r):

It is half the diameter of the sphere, where this face is a part of it.

4- The principle axis:

It is the straight line that joins between the two centres of curvatures of the lens passing by the optical centre of the lens.

5- The secondary axis:

It is any line passes by the optical centre of the lens except the principle axis.

6- The focus of the lens (F) (principle focus):

It is the point of collection of the refracted light rays.

7- The focal length of the lens (f):

It is the distance between the principle focus and the optical centre of the lens.

 $f = \frac{1}{2} r$

The position of the object from the concave lens	The position of the image from the concave lens	The properties of the formed image		
At any place in front of the concave lens.	The image is formed nearer to the object position, and in its same side.	VirtualErectDiminished		



The position of the object from the convex lens	The position of the image from the convex lens	The properties of the formed image
1- Very far	At the focus.	RealVery tiny (dot)
2- At a distance greater than double focal length.	Between the focus and the centre of curvature.	RealInverteddiminished
3- At a distance equals the radius of curvature.	At the centre of curvature (C).	RealInvertedEqual to the object
4- At a distance greater than the focal length, but less than the radius of curvature.	After the centre of curvature (C).	RealInvertedMagnified
5- At a distance less than the focal length.	The image is formed farther than the object position, and in its same direction.	VirtualUprightErectMagnified
6- At the focus.	No image is formed.	

✓ Short-sightedness:

It is a vision defect through which near objects only can be seen clearly but far objects seem distorted. **Due to:**

- The increase in the eyeball diameter ---> this causes the retina to be far from the eye lens.
- The increase in the convexity of the eye lens surface. ---> this causes a shorter focal length for the eye lens.



√ Long-sightedness:

It is a vision defect through which far objects only can be seen clearly but near objects seem distorted. **Due to:**

- The decrease in the eyeball diameter. ---> this causes the retina to be close from the eye lens.
- The decrease in the convexity of the eye lens surface. ---> this causes a longer focal length for the eye lens.

Complete the following statements:

1-	The lens is amedium that the light and is limited with two spherical
	surfaces.
2-	There are two types of lenses which are and and
3-	The incident light ray that passes through the of the convex lens, it exits from the
	lens parallel to the
4-	If an object is put in front of a convex lens at a distance greater than the double of the focal
	length, so the image is formed between theand the
5-	The convex lenslight rays, while the convex mirrorlight rays.
6-	The incident light ray that is parallel to the principal axis of the convex lens, it penetrates


Choose the correct answer:

the lens passing through

- 1- If the radius of curvature of a lens equals 20 cm, so its focal length equals.....
 - a. 5 m.
 - b. 10 cm.
 - c. 20 cm.
 - d. 10 m.
- 2- A convex lens is placed in the passage of sun rays, a very small real image for the Sun is formed at a distance of 20 cm. from the optical centre of the lens, if this lens is used to form virtual, upright and enlarged image for another body. Which of the following distances from the optical centre is correct?
 - a. 10 cm.
 - b. 20 cm.
 - c. 40 cm.
 - d. 50 cm.



- 3- Lenses are used in
 - a. cameras.
 - b. medical glasses.
 - c. binoculars.
 - d. all the previous things.
- 4- The optical piece that forms a real image and equals to the object is the
 - a. convex mirror.
 - b. plane mirror.
 - c. convex lens.
 - d. concave lens.
- - a. virtual and enlarged image.
 - b. real and enlarged image.
 - c. real and diminished image.
 - d. no correct answer.
- 6- If the focal length of a concave lens is 6 cm, so the radius of curvature is
 - a. 3 cm.
 - b. 6 cm.
 - c. 9 cm.
 - d. 12 cm.
- 7- Virtual image is formed by
 - a. plane mirror.
 - b. concave lens.
 - c. convex mirror.
 - d. all the previous answers.
- 8- The normal person sees the near objects at a distance
 - a. not less than 25 cm.
 - b. less than 25 cm.
 - c. more than 6 cm.
 - d. no correct answer.





9- The erect images in the mirrors and lenses areImages.
a. virtual
b. real
c. real or virtual
d. no correct answer
10- The reasons of long-sightedness are
a. the decrease of eyeball diameter.
b. the decrease of convexity of e eye surface.
c. the close images are formed behind the retina.
d. all the previous answers.
Give reasons for:
1- The concave lens is called diverging lens.
2- No image is formed for the object that is located at the focus of the convex lens.
3- Lenses have two centres of curvature.
4- It is impossible to obtain a real image by using a concave lens.
5- The contact lenses are called by this name.
6- Some persons have short-sightedness.
Put (\checkmark) or (x) in the front :
1- Eye lens is a concave lens.
()
2- The image formed by the concave lens is always virtual.
()
3. Contact lenses stick to the eye cornea by the eye fluid.
()
4. Illness and old age are from the reasons of the cataract disease.
()



	W	/h	a	•	is	m	ea	nt	by	?
F-1	-			•						

	2027		1900		100	124
4	The		-1		- 6 -	lens.
-	Ine	nrin	cinai	ZYIC	OT 2	IPNS
-	1110		CIDUI	unis	UI U	10113.

- 2- The focal length of a convex lens is 5 cm.
- 3. The centre of curvature of the lens face.

Compare between long-sightedness and short-sightedness:

Points of comparison	Long-sightedness	Short-sightedness
Definition		
The position of the formed image	407.03	
Treatment		

.....

•	Mention	the	most	important	uses of	flenses.
---	---------	-----	------	-----------	---------	----------

Problems:

- 1- A body of length 4 cm is placed at a distance of 6 cm from a convex lens, its focal length is 3 cm.
 - a. Draw a diagram to show the path of the rays falling on the lens and the refracted ones from it.

- b. Mention the properties of the formed image.
- c. Mention the length of the image and the radius of the lens.



Unit 3 Lesson 1: The Universe and the Solar System

√ The universe:

It is the wide and extended space that contains all the galaxies, stars, planets, moons, living organisms and everything.

√ Galaxies:

They are groups of stars that rotate together in cosmic space by the effect of gravity. **OR**, They are the greatest units that form the universe.

✓ The Milky Way Galaxy:

It is the galaxy to which our solar system belongs.

The old stars (the older stars) gather in the centre surrounded by the small stars (the recent age) are located in the spiral arms of the galaxy.

√ The solar system:

It contains the sun and eight planets revolving around the sun.

The force of gravity is responsible for keeping the planets in their orbits around the sun and the moons in their orbits around planets.

✓ Light year:

It is the distance covered with light in one year and it equals 9.46 x 10¹² km.


✓ The distances between galaxies increase as time passes, as galaxies move away
from each other in the cosmic space.

Expansion of the universe:

It is the continuous separation between galaxies in space as a result of their regular movement.

✓ Big bang:

It is a theory that explains the origin of the universe from a massive explosion since 15000 million years and resulted in it all forms of matter, energy, time and space followed by continuous expansion and changing processes.





- The Nebular theory assumed that the origin of the solar system was the nebula.
- ✓ Nebula:

It is a glowing gaseous sphere revolving around itself, from which the solar system was originated.

- The crossing star theory assumed that the origin of the solar system was a big star which is the sun.
- √ Star explosion phenomenon:

Glowing of a star for a short time to become one of the most shining stars in the sky, then its glowing disappears gradually to return as it was.

- ✓ The modern theory of the world assumed that the origin of the solar system was a star rather than the Sun.
- Astronomers use special equipments centered on the Earth as the solar telescope or carried into space as Hubble telescope in order to study the Sun.

Write the scientific term for each of the following:

1- The wide and extended space that contains all the galaxies, stars, planets and everything.
()
2- Groups of galaxies that rotate in the cosmic space.
()
3- The Sun and eight planets revolving around it.
(
4- A theory explains the origin of the universe due to a massive explosion followed by
continuous expansion and changing processes since 15000 million years.






	Sun and the Earth?
•	
•	
	Complete the following statements:
	1- Stars rotate around the centre of the, while planets rotate around the
0	2- The distances between sta <mark>rs are measured in</mark> unit and it equals
	3- As the distance between t <mark>he plane</mark> t and the Sun increases, the Sun gravityar
	its motion becomes
	4- After milli <mark>on years from the </mark> Big Bang, our galaxy took its disc form, while t
,	Sun was born after million years from the Big Bang.
	5- The universe originated fr <mark>om a gas</mark> eous ball ofpressure andpressure andvolu
	6- In Milky Way galaxy, the o <mark>ld stars</mark> gather in theof the galaxy, while sma
	stars are located in thearms of the galaxy.
	7- The founder of nebular theory about the evolution of the solar system is
0	8- Over the time, the nebula lost its heat gradually so, its volume and its revolv
	speed around itself
	9- The theory that assumed that the solar system was a glowing gaseous sphere is
	10- The explosion of the expanded part from the Sun towards the crossing star led to forma
	ofescaped from the gravity of the
	crossing star.
	11- The solar system was originally according to the crossing star theory, while
	according to modern theory, it was originally
	12 is from telescopes that are centered on the Earth, while
	is from telescopes that are carried into space.

Choose the correct answer:

- 1- The biggest star that can be seen clearly by people on the Earth is
 - a. Saturn.
 - b. the Sun.
 - c. Uranus.
 - d. Neptune.







2- The Sun takes	s about million years to complete one rotation around the centre c
the galaxy.	
a. 15000	
b. 220	
c. 50	
d. 22	
3- The volume of	of the universe up till now.
a. is consta	ant
b. contract	rs
c. expands	
d. contract	s and expands
4- Earliest life fo	orms began t <mark>o appear on the Earth after</mark> years from the Big Bang.
a. 3000 milli	on
b. 12000 mi	llion
c. 15000 mil	llion
d. 17000 mi	llion
5- The gases wh	nich produced galaxies, stars and universe are
a. oxygen ar	nd helium.
b. oxygen ar	nd carbon dio <mark>xide.</mark>
c. hydrogen	and helium.
d. hydrogen	and carbon dioxide.
6- The theory w	hich explains how the universe originated istheory.
a. Crossing s	star
b. Nebular	
c. Solar syst	em
d. Big Bang	
Correct the	e underlined words:
	tes of the explosion of Big Bang, the percentage of helium gas was 75%.
(
	an to form after <u>5000</u> million years from Big Bang.
(
	as a distinctive shape according to the harmony and order of the groups of
planets in it.	
()
	· · · · · · · · · · · · · · · · · · ·



Give reasons for:

- 1- Our galaxy is called by the Milky Way.
- 2- The continuous expansion of the cosmic space.
- 3- The stability of the Earth rotation in an orbit around the Sun.
- 4- Explosion of some stars suddenly.
- 5- The nebula lost its sphere form and became in a form of a flat rotating disc.

.....

Study the opposite figure, then answer:

- 1- What's the galaxy which our solar system belongs to?
- 2- What does point (X) refer to?



Egyptian Virtual School

......

.....





Unit 4 Lesson 1: Cell Division

√ Chromosomes:

They are thread like bodies present in cells, nuclei and they represent the genetic material of the living organisms.

✓ The chromosome consists of:

- Two connected threads, each thread is called "chromatid"
- The two chromatids are connected at a point known as "centromere"

✓ Centromere:

It is the point of connection of the two chromatids of chromosome.

√ The chromosome consists of:

- A nucleic acid called "DNA" which carries the genes that carry the genetic traits
 of the living organism.
- Protein.

✓ DNA:

It is the nucleic acid that carries the genetic traits of the living organism.

- ✓ Somatic cells and reproductive cells, each one of them contains a complete number of chromosomes "diploid number 2N"
- ✓ Gametes (male gametes "sperms" and female gametes "ova" Each one of them contains a half number of chromosomes present in reproductive cell or in somatic cell." haploid number N"
- √ Importance of chromosomes:
 - They represent the genetic material of the living organism.
 - They have the main role in cell division.
 - Knowing the number of chromosomes helps in identifying the animal and plant species.

✓ Mitotic cell division (mitosis):

It is a kind of cell division that occurs in the somatic cell, at which the cell divides into **two new cells** (somatic cells), each of them contains the same number **(diploid number)** of chromosomes of the parent somatic cell.

Some cells in human body are not divided at all, such as neural cells (as they don't contain centrosome, which plays a role in cell division), and adult red blood cells (as they don't contain nucleus)

- ✓ Importance of mitosis:
 - · Compensation of damaged cells.
 - · Completing the asexual reproduction process.
 - Growth of living organisms.



✓ Meiotic cell division (meiosis):

It is a kind of cell division that occurs in the reproductive cells, at which the cell divides into **four new cells** (gametes), each cell contains half number **(haploid number)** of chromosomes of the parent reproductive cells.

√ Importance of meiosis:

Production of male gametes and female gametes to complete the sexual reproduction.

✓ Crossing over phenomenon:

It is a phenomenon that takes place at the end of prophase I in which some parts of two inner chromatids of each tetrad are exchanged to produce new genetic arrangements.

✓ Tumor:

The mass of cells produced due to abnormal continuous division of cells.

Write the scientific term for each of the following:
1- The point of connection of the two chromatids together.
()
2- It consists of two chromatids connected together at centromere.
()
3- The phase in which the cell prepares itself to divide by duplicating the genetic material.
()
4. The phase in which the chromosomes are arranged at the equator of the cell during its
division.
(Syptian Virtual School
Correct the underlined words:
1. Chromosomes arranged along the cell equator in the anaphase.
()
2. The number of chromosomes in somatic cells is a <u>haploid</u> number.
()
3. The nucleolus disappears during the mitotic cell division in telophase.
()
Complete the following statements:
1- The number of chromosomes in the living organisms isfrom a species to
another, while it is in members of the same species.
2are two types of cell division.




3- Thecontains the genetic material which consists of	number of
that have the main role in cell division.	
4- The human body contains two types of cells, which are	and
5- In human, all somatic cells contain chromosomes, while	the gametes contain
chromosomes.	
6 division happens in somatic cells and it leads to the gr	owth of the living
organism.	
Give reasons for:	
1- Cellular division begins with interphase.	
2- Shrinking of spindle fibers during the anaphase of mitotic cell division.	


4- Mitotic division differs from second meiotic division although they are similar in their phases.


Name only these stages of mitosis:


5- Nanotechnology is called by this name.














Choose from column (B) what suits in column (A):

(A)	(B)	
1- Centromere	a- Divide mitotically.	
2- Somatic cells	b- Don't divide at all.	
3- Gametes	c- It is the point of connection of the two chromatids.	
4- Neural cells	d- Contain half number of chromosomes.	

Compare between:

Points of comparison	Mitotic cell division	Meiotic cell division
The site of occurrence		
The number of chromosomes in the		
esulted cells		

Explain the following phenomenon and state what is importance:






Choose the correct answer:

1- If the skin cells in man contain 46 chromosomes, so the sperms of the male contain
chromosomes.
a. 23
b. 32
c. 46
d. 64
2- In the first meiotic division, the cell divides to formcells.
a. two
b. four
c. six
d. eight
3- Meiotic cell division is responsible for the
a. growth of organisms.
b. compensation of damaged cells.
c. production of gametes.
d. duplication of cells number.
4. Gametes resulted from thecell division.
a. reduction
b. meiotic
c. mitotic
c. mitotic d. (a)&(b) are correct. Dilan Virtual School
Put (\checkmark) or (x) in the front :
1- Second meiotic division aims to form two cells, each of them contains half number of
chromosomes.
()
2- DNA is duplicated only once during meiosis.
()
3- Mitotic cell division is called by reduction division.
()
4- Gametes in living organisms are produced by special cells known as the somatic cells.



5-	Mitotic division produces cells that contain half of the genetic material.
()
	Reproductive cells are divided by mitosis which leads to the formation of gametes.
()
7-	Crossing over occurs in the telophase in the first meiosis.
()





Unit 4 Lesson 2: Sexual and Asexual Reproduction

✓ Reproduction process:

It is a biological process, where the living organism produces new individuals of the same kind and thus, ensuring continuity.

✓ Asexual reproduction:

It is a process by which a living organism produces new individuals with genetic traits identical to those of their parent.

✓ Properties of asexual reproduction:

- It takes place by only one living organism.
- It doesn't require special systems or structures in the living organism
- It takes place by mitotic division.
- It keeps the genetic structure of living organism.
- ✓ Reproduction by binary fission:

It is a type of asexual repr<mark>oduction where the nucleus divides</mark> mitotically, then the cell splits into two identical cells.

✓ Reproduction by budding:

It is a type of asexual reproduction that produces new individuals by formation of buds in the parent cell.

✓ Reproduction by regeneration:

It is the ability of missing part in some living organisms to grow forming a complete organism identical to the parent individual.

√ Reproduction by spore propagation:


It is a type of asexual reproduction that occurs in some fungi and algae by producing spores.

✓ Vegetative reproduction:

It is a type of asexual reproduction that takes place in plant's vegetative organs without the need of seeds.









√ Sexual reproduction:

It is a process by which a living organism produces new individuals with traits differ from parents.

✓ Properties of sexual reproduction:

- It occurs between two parental individuals, one of them is a male and the other is a female.
- It takes place by special reproductive organs and systems
- It takes place by meiotic division.
- It doesn't keep the genetic structure of living organism.

√ Fertilization:

It is the combination of a male gamete (N) and a female gamete (N) to form a zygote (2N).

✓ Zygote:

It is a cell produced due to fertilization and it contains the complete number (diploid number) of chromosomes of the living organisms.

ne scientific term for each of the following:
med as a result of the combination of the male gamete and the female one.
)
mbination <mark>of t</mark> he ma <mark>le gamete and th</mark> e female gamete to form <mark>a n</mark> ew structure.
)
st common asexual reproduction in fungi and algae.
Journal Virilla Julius
)

Give reasons for:

1 Sexual reproduction is a source of the genetic variation.
2- Asexual reproduction produces offspring with genetic traits identical to those of their
parents.
3- Binary fission is considered as mitotic division.



Correct the underlined words:


Look at the opposite figure, then answer the following

questions:

1-	- Label the figure.		
	1-		







Complete the following statements:

- 1- Asexual reproduction in the bacteria happens bywhile in hydra by
- 2- In reproduction process, the move from parents to their offspring.
- 3- When the bud remains connected to the parental cell, ais formed.
- 4- During asexual reproduction, the number of parents...... is while during sexual reproduction is
- 5- and are from the forms of asexual reproduction.



Choose the correct answer:

- 1- Sexual reproduction depends on the
 - a. formation of gametes only.
 - b. meiotic division of reproductive cells only.
 - c. fertilization only.
 - d. all the previous choices.
- 2- The ability of some animals to compensate their missing parts is called
 - a. regeneration.
 - b. budding.
 - c. forming spores.
 - d. sexual reproduction.
- 3- If the number of chromosomes in cells of starfish is (2N), the number of chromosomes in resulted cells after reproduction is
 - a. N
 - b. 2N
 - c. 1/2 N
 - d. d. no correct answer
- 4-..... contains half the genetic material of the individual.
 - a. Sperm only
 - b. Ovum only

 - c. Zygote only Coupling Virtual School
 d. (a) and (b)

11.1hat is
What is 1 what is meant by 2 define
1. It is the phenomenon of the light bouncing 1. The Light
of (returning back) in the same medium, reflection phenomenon
when it strikes a reflecting surface.
2) It is the total distance covered by 2- Average speed
the moving object divided by the total time
taken to cover this distance.
3. It is a biological process, where the 3-reproduction
Living organism produces new individuals
of the same Kind and thus, ensuring
its continuity.
4) The covered distance at certain direction 4. Displacement
5. The value of change of an object's speed 5. Acceleration
in one second.
The angle between the reflected light 6-reflecting
ray and the perpendicular line on angle.
the reflecting surface from the point
of incidence
7 The ability of some animals to 7-regeneration
Compensate their missing parts.
(8) Physical quantity which has magnitude 8- Scalar Physical
only and has no direction. quantity
3 change of an object position as time g motion
passes according to the position of another
object.
·

بىلدح	2 علوم مع غادة م	
	what is meant by 2 defin	•
on	10-Displacement	

	What is mean.	H
Dwrite the scientific term.	by 2 define	2
10 the distance covered at a certain direction	10-Displacement	-
from the primary position of movement		
towards its final position.		-
11) The distance between principle focus	11-focal length	_
and optical centre of the lens.		
12) The process of exchanging the two inner	12 - Crossing	
Parts of chromatids of each tetrad.	over phenomenon	_
13 It is the wide and extended space	13 . Universe	-
that contains galaxies.		-
14) The space which contains the galaxies.	14 the universe	-
Stars, planets, moons and all living		-
organisms.		_
(15) The ability of the missing part in some	15 reproducing	_
Living organisms to grow forming	by regeneration	-
a complete organism identical to the		_
Parent individual.		_
(16) The speed of amoving object relative	16_ Relative	_
to a Standing or a moving observer	speed.	_
(17) A spherical mirror its shining surface	17-convex	_
is a part of the outer surface of	mirror	_
the sphere.		_
18 Millions of the star which arranged	18_Galaxy	
in a distinctive shape.	, J	
(19) * special organs for reproduction	19_sporangia	
in algae and fungi.	σ .	
* sacs are carried by a lot of fungi and contain a large number of spores.		
contain a large number of spore's.		

9.1	علوم مع نمادة ص
بلاغ	+ الم عادة ا
(de)	Find what is meant
20 Asexual reproduction occurs by different	20 vegetative
Parts of the plant without needing seeds.	reproduction
21) The actual length of the path that	21 distance
a moving object covers from the starting	
point to the ending point.	1
(22) Thread like bodies present in the	22_chromosomes
cell's nuclei and they represent	
the genetic material of the Living	
organism.	
23) An optical piece that is used to	23_concave
treat a vision defect which causes	Lens
the formation of image in front of	
the retina.	a + + + long
24) It is a very thin lens made of plastic,	24-Contact lens
and can stick to the eye cornea	
by the eye fluid.	
(25) The rate of change of the distance.	25-speed.
25) The rate of change of the distance. 26) The image that cannot be received	26_ Virtual
on a Screen	Image.
27 An apparatus is used to see the	27 microscope.
tiny bodies that cannot be seen	
by the naked eye.	
28 The point of connection of two	28_centromere
chromatids of the chromosome to gether	
,	

ا علوم ما في الأو ملاح Define what (ighneant by?

1 write the scientific term	at (smeant by?
29 They are the arrangement of homologou	s The tetrad.
pairs of chromosomes, where each pair	
Consists of y chromatids.	
3. A point in side the lens that lies on	30-optical
the principal axis in the mid distance	centre
between its faces.	
(31) fibers extend between the two poles	31-Spindle
of the cell in prophase	fibers
(32) The continuous separation between	32 continuous
galaxies in the universe due to their	expansion
regular motion.	of the universe
(33) A pair of connected threads at	33 Chromatids.
the centromeres in a chromosome 34) The Line that passes through the center	34-principal
of curvature of the mirror and its pole	axis
35) The displacement covered in a unit time	
(displacement (kmorm)	<i>J</i>
total time (hour or second))	
(36) An eye disease because of oldage that	36-cataract
causes a difficulty of vision as aresult	
of the darkness of the lens.	
	37_Nebula
37 It is a glowing gaseous sphere revolving	
around itself, from which the solar	
system was originated.	
	/
	1

	5
1 write the scientific term	define)
38) The regular speed by which the moving	38-average
object moves to cover the same distance	
at the same period of time.	
39) The length of the shortest straight line	3.9. The amount
between two positions.	of displacement
Go The cells formed from reproductive cell	ud-Gametes
inside Living organisms by meiotic division	
(41) The force that controls in the orbits	41. Gravity
of planets around the sun.	of the Sun
42 It is the combination of male gamete	42-fertilization
and female gamete to Form Zygote	
(43) Aspeed in which an object covers	43-Irregular
equal distances at unequal periods of time	speed
The phase in which the cell is prepared	uu-Interphase
for division by the occurrence of some	
important biological processes and	
the duplicate of genetic material (DNA) 45) It is the acceleration by which an object	45-Uniform
(45) It is the acceleration by which an object	- acceleration
moves in a straight line when its speed	
changes by equal values through equal	
periods of time.	
(40) A vesion defect is formed(as) a result	46-long-
in the shortness of the radius of	Sightedness
the ball thus the retina is close to	
the eye lens.	
* Seeing far objects clearly and seeing the near objects distorted.	
The near objects distorted.	

Dwrite the scientific term 47) A unit is used to measure the distance between celestial bodies in the universe	what is meant by? Define
47 Aunit is used to measure the distance	- light year
Latinon colection believe in the universe	47- Light year
	48-5 exual
that involves (two) living organisms, one	reproduction
of them is a male and the other is	
ug The point of collection of the parallel	49_the focus
light rays after regraction from	of the convex lens
50 A cell that produced due to fertilization	n 50-thezygote
and it contains the complete number	
of chromosomes of the living organism.	
(51) Angle of incidence equal angle of	51_ first law of
reflection. 52 It is the point in the middle of its	light reflection 52-The pale
reflecting surface.	of the mirror
53) Glowing of a star for short time to become one of the most shining	53. star explosion phenomenon.
stars in the sky , then its glowing	
disappears gradually to return. as it was	
5y- A theory explains the origin of the	54-Big bang
Universe due to emerged from the particles of helium and hydrogen	Theory
gases, since 15000 million years.	

طيلان	(1) علوم علاعا وه
D write the scientific term	-
55) The upright image that cannot be	55_virtual
received on a screen.	image
(56) An offical piece thick at its middle	56-convex
and thin at the terminals.	lens.
57 A type of reproduction depends on	57-Asexual
one parent without production of	reproduction
gametes	
58) A mirror, always forms(small)	58_Convex
image for the object.	mirror
	59. Milky way
59 It contains the sun and the solar system	galexy.
60 The part which is responsible for	60-Spindle
pulling the chromosomes towards the two	fibers
poles of the cell during anaphase	
of cell division	
(61) The acceleration by which an object	
moves when its final speed is less than	61_deceleration
ita initial coopd	
62) A flat gaseous rounded disk that formed	62-nebula
The planers of the social system.	
63) specialized cells which produce gametes	63-reproductive
	Cells
Gy Cellular division which leads to the	6u-meiosis
formation of gametes	65 N
65 which have the main role in cell division	65_ Nucleus 86_Solar
(66) located in one of the spiral arms of the	system.

THE TOTAL STREET

2 What is meant by each of the following?	
1) The average speed of a moving car is 60 km/hour.	
1) The average speed of a moving car is 60 km/hour. The total distance covered during one hour equals	_
60 Km.	
2) Angle of reflection of the light ray = 40°.	-
-2) Angle of reflection of the light ray = 40°. The angle between the reflected light ray and the normal	-
equals 40°	-
	_
3) Sexual reproduction.	_
It occurs in most higher living organisms through (2)	_
living organisms some of them is male and the other	_
Le O - la	
y). The focal length of a concave is 7cm.	
The distance between the focus and the pole of the	_
mirror equals 7cm.	
5) An object moves with uniform acceleration equals	
10 m / 52.	
The speed of the object is changed by 10m/s	
each one second.	_
6) The distance between pole of a spherical mirror	
and its primary focus is 10cm.	
The focal length equal locm.	
7) The relative speed of car relative to a moving observer	_
equals zero Both car and observer move with the same	
speed and direction.	
8) Meiosis division is a reduction division.	
8) Meiosis division is a reduction division. The produced gametes contains half the number of chromosomes in the reproductive cell.	١
IN THE TO TOUGHOU WITH	1

و علوم مع غادة صلاح

2 complete the following sentences:	
1) The image can be received on a screen	1) real
is called image.	,
	2) prophase
2) At the end of, the nucleolus and	277.127.1120
the nuclear membrane disappear at	
the mitotic division.	as a law
3) The sun Takes about 220 million years	3)galaxy
to complete one cycle around the center of	
4) The chromosome consists of two connected	4) centromere_
threads at the, each is called	chromatid
5) When object speed decreases by passing	5) negative
time then it moves (at) acceleration.	
6) If the focal length of a convex mirror is	6)20cm
(10cm) then its radius of curvature of its	
reflecting surface equal	
7) The division occurs in liver cells	7) mitosis
8) The image always equals the object	8) Plane
and can't be formed on a screen in the	0,7
mirror.	
9) In case of the division of the cells	9) mitasis
no changing in the genetic traits.	
10) The scientist who establish the crossing	10) Chamberlain
star theory that explains the origin of the	and Moulton
solar system	w/w_/-routton
11) The ability of the liver to regenerate under	11) liver
certain conditions if injured represents	
the scientific base for surgery.	transplantation
an sciencific ouse for surgery.	

2 complete	
12) The device that is used by the astrono mers	12) Solar
to identify the different wave lengths	telescope.
emitted by the sun scentered on Earth(is).	
13) As the distance between the planet and	13) decreases
the Sun increases, the Sunsgravitational force	slower
The motion avound the sun of	
and its modern art of a sphere	14) outer_
14) The convex mirror is a part of a sphere, its Surface is the reflecting surface	inner
and in the concave mirror Surface	
in the machesting surface.	
is the reflecting surface. 15) In the animal cell, the spindle fibers	15) centrosame
are formed by, while in plant cell	cytoplasm condensation
the spindle fibers are formed from	Constitution of
at the cell poles.	
10) reproduction in plant's happens by	16) vegetative -
plant's organs without The need of	seeds
17) Acceleration is considered one of	17) vector_
Physical quantities, While Time	Scalar
is considered one of Physical quantities	
18) and are used during wars	18)Lenses_
to follow battle.	binoculars
19) Ing Sightedness caused as aresult	19) the decrease
of of the radius of the ball thus	- near
the retina is to the eye lens.	
20) The big bang theory explain the origin of	20) Universe

11 علوم مع غادة صدرح

(2) complete	
white the Mebular theory explain the	solar system
origin of) h . ' C
21) Somatic cells are divided by	21) mitosis_
While reproductive cells are divided by)	meiosis
22) The founder of the modern theory 15	22) Fred Hoyle
the scientist.	23) 8
23) If the fertilized ovum contains & pair	3/23/-0
of chromosomes this means that the unfertiliz	mucheic acid
ovum contains chromosomes.	AUDALA
24) Chemically, the chromosome consists of	24) DNA Protein
actiful and a coming 70 (kg/haus)	
25) If the speed of a car is 72 Km/hour	$\frac{25)}{72} \times \frac{5}{18} = 20$
this means that its speed equal mis	26) spiral.
26) The solar system is located in one of	Milky way
the arms of the galaxy.	27) Sporagony
27) Breadmold fungus reproduces asexually by, While hydra prganism	_budding
reproduces a sexually by	- sasting
28) sexual reproduction depends on two	28) gametes Formatio
Mar. 2019	fertilization.
29) The first phase for a cell to enter	29) Prophase
mitosis is	
30) The two gases which produced galaxies	30)
stars and are the universe over millions	25%-75%
of years are helium and hydrogen with	,
a percentage of, respectively.	

12 علوم مع غادة صلاح

2) complete	
31) velocity and displacement of an object	31) direction-
are similar in and are differ in	measuring unit
32) some somatic cells in the human body	32)
are not divided at all such as and	red blood cells-
others are divided under certain	liver cells
circumstances such as	
33) The movement path may be,	33)straight
or combination of both.	
34) Astronomers use special equipments	34) Hubble
carried into space as in order to study	telescope
the sun.	- c. a anatia
35) DNA (nucleic acid) carries of	35) genetic
the Living organism.	
36) Real image is not formed by lenses.	convex mirrors.
mirrors and plane mirrors.	37) Centrifugal
37) In laplace's opinion, the nebula Lost its sphere form and became	force
in a form of a flat rotating disk	
under the effect of	
387 The optical piece which forms	38) Plane mirror
laterally inverted image and equal to	
the body is called	
39) In yeast, the bud emerges as	39) mitosis
a lateral bulge in the parental cell,	
then the cell nucleus is divided by	
Jivi sion.	
V	

13 علوم مع غادة صلاح

2) Complete	
40) Inplants, male gametes are called.	40) Pollen grains
While female gametes are called	- ova
47) the building unit of universe is	1) the axy-
and its number in universe is about	100 000 million galaxies
43. The centre of mirror curvature	42) behind
in convex mirror lies the reflecting	
43) During the of mitotic division	43) telophase
a series of adverse changes occur.	
44)-At the end of 1st. prophase of 1st.m	istic 44)
division, the phenomenon of occurs.	crossing over
45) If(an) object starts its movement	45) Zero
from rest, It means that its initial	
speed equal	
46) A car moves in a certain direction	46) 40 Km/h-
by a speed equals 80 Km/h, its speed	
appears 40 km/h for an observer	the same
moves with a speed in direction	7
of the car.	
Relative speed of the car = car speed	observers speed
40 = 8 0 -	40
47) according to the modern theory,	47) cooling
the cloud of gas was subjected to	. 0
process forming moving planets.	

(14) علوم مع غادة صلاح

2) Complete	·	-
48) theory assumed that the origin	48) Crossing Star	-
of the solar system was from the explosion	>tar	
of the expanded part of the sun due to		-
a huge star approached to it.		-
ug Earliest Life forms began to appear	49) 12000 million	
on Earth after about years		
From the his hang.		-
50) when an object moves at an accelerat	ion 50) regular	-
equals Zero, this means that the speed		-
acthe object is		-
51) The diameter of the thin Lens is	51) Larger than	_
that of the thick lens.		-
52) The mass of cells produced due to	52) tumor	-
the abnormal continuous division of		-
cells is called		-
53) Along sighted person needs a medical	53) Convex	-
eye glasses with a Lens		_
54) The spindle fibers are formed from	54) centrosome	
in animal cell.		_
55) The secondary axis of the mirror is any	55) the center	
straight line that passes and any	ofcurvature	
point on its reflecting surface except	- the pole.	
56) Within minutes of the Big Bang,	56) hydragen_	
the atomic particles merged together	helium.	
Producing and, which over	975 F	
the years Produced galaxies, stars		
and the universe.		

3) what would happen in the following cases: 1) Combination of the male gamete and female gamete The zygote will be formed. 2) The incident Light ray falls passing the focus of the convex lens. It will refract parallel to the Principal exis. 3) when combination of male gamete with female gamete to form Zygote - Fertilization process occurs. 4) To the acceleration of an object moves at uniform speed Body moves with Zero acceleration. 5) putting a yeast fungus in a warm sugary solution It reproduces by budding forming a new bud . that remain connected to the parent cell forming a colony or separated from the parent cell and becomes as a new fungus 6) A light ray is incident passing through the center of curvature of a concave mirror. - It will reflected on itself. 7) focusing Laser on the gold Nano-molecules in the cells infected by cancer -The light energy transformed into heat energy.
that burns and Kill the cancer cells only.

	(16) علوم مع عادة مملاك
	3 what happens in the following cases:
_	8) Absence of centrosome from the animal cells. No spindle fibers will be formed.
	9) The nebula Lost its temperature in Laplace's opinion
	The size of nebula decreases, and its revolving around its axis in creases.
	10) starfish Losses one of its arms, while it contains
	The animal will compensate its missing arm
_	through regeneration, and the missing arm will form a new individual through reproduction by regeneration.
	11) A person who has long sightedness defect is using a convex lens while reading. The defect will be corrected, where he can see near objects clearly.
-	a convex lens while reading.
	The defect will be corrected, where he can see hear
	Jeas Eleary.
	12) A moving body covers the same distance in half
_	12) A moving body covers the same distance in half the time according to its speed. Its speed increases to the double.
_	_Its speed increases to the double.
	13) Reproductive cells don't divide by meiosis
_	No gametes will be formed.

1	3 what happens when?	
	14) A moving object completes a complete cycle	
	(concerning its displacement).	
	(concerning its displacement). The amount of displacement = Zero.	-
_	15) Incidence of a light ray parallel to the principal	
	15) Incidence of a light ray parallel to the principal axis of a concave mirror (concerning its pathway). It reflects passing through the focus.	
	16) Plane mirror is put on the left side of the car driver.	
	_ It will form an equal image, so the driver	
	17) Incidence of a light ray by angle 60° on a plane mirror. It will reflected by angle = 60° from the plane mirror.	
	18) When a moving body returns back to its starting point (concerning its displacement)	
	Its displacement = Zero.	
-	163 813 Pacemone 22015.	
	19) The moving body takes double the time to cover	
	half the distance according to its speed.	
	_Its speed decreases v = d if d = 8m, t = 2 sec	
	to quarter.	
	when t2 = 2xt1 : t2 = 2x2=45	
	and d2 = 1 d1 = 1 x8 = 4m	
	50 V2 = d2 = 4 = 9 m/5	
	. 72 4	

	(3 What happens when.?)	
	20) Crossing allow Phonomenon doesn't occur	
_	The variation of genetic traits don't occur among	_
_	the individuals of the same species.	_
		_
	21) A light ray passes through the optical center	_
	of the lens.	-
_	-passes without refraction.	_
	22) The diameter of the eye becomes Longer than a certain	_
	le na in	_
	short_sightedness.	_
	23) The nucleus of the cell is removed.	_
_	1 11 4 [202]	_
_	The cell can not alvided. 24) A light ray is incident by an angle 90° on a plane mirror It reflects on itself.	_
	• The state of the	_
_	25) The gravity between Sun and planets rotate around	_
_	15 Vanished.	
_	The planets will move freely in the space.	
	26) The final speed of a moving body is greater than	_
	its initial speed.	
	The body moves with positive acceleration.	
	-111-2-3	

وق علوم مع غادة صدح

when will the following things happen?
The distance covered by a body equals the amount of its displacement. one when the body moves in a certain direction and in a straight line.
-Reflection of light ray falls on spherical mirror on itself. -when it falls passing through the centre of curvature.
_ The relative speed of amoving object relative to an observer is more than its real speed.
- When the observer moves in opposite direction of the object.

Expansion of the universe.

21) علوم عادة ملاح

6) A huge star approached the sun according to the crossing Star theory.

This star attracted the Sun to it, leading to a great expansion in the part of the Sun facing it.

7) Elongation in the ball diameter of the eye ball. Short sightedness.

(6) Com	pare between each of	the following: (22)
(1)	positive acceleration	the following: (22) Negative acceleration
Definition	It is an acceleration by which an object moves in a straight line when its speed increases by equal values through equal periods of time	It is an acceleration by which an object moves in a straight line when its speed Lecreases by equal values through equal Periods of time.
Final Speed	The final speed of an object the initial speed.	the final speed of an object < the initial speed
	Its value is Positive	its value is negative

1 (1)				
(2)	- Contraction of the Contraction	somatic cell		Reproductive cell
b) Number of di	vision	mitosis		meiosis
b) Number	f	0		
cells	Ing_	2		4
(3)		speed	_	Velocity
			+	
Definition	dista	ance covered through	h	displacement covered
		unittime	+	through a unit time.
(4)	F	Amoeba	T	y east fungus
type of		nary fission		Budding
asexual				0
reproduction		•		
		-Sightedness		ong-sightedness
The position of	The i	mage formed	7	he image formed
Theimages	in fr	ont of the retina		ehind the retina.
Concerning				
the retina				
-Theradius of	in-	creased		ecreased.
the eyeball				
The convexity		increased		decreased
of the eye leng				
Surface				
The correction	By v	sing a Concave lens	_k	by using a Convex lens
type of lens				
that is used				
in treatment				

(6)		Acc	eleratio	n	Mass	
Type of Physical o	uantity	vector			Scalar	
The way of reprodu		Bread mold fungus			Sponge	
we man of Lebroge	uction	sp	oro go 1	ny	Budding	-
Their importance	6	ig Bar	g theo	ry n	ebular theory	
Their importance	Explain	the	rigin o	c E	xplain the origin	
	the	univer	cse		the Solar syste	
-		-0.11			- C/1 - 50 - C/1 - 59 500	-11-1
(9)	Mit	otic o	livision		meiotic division	
The Cells in which	Son	natic	ells		eproductive cell	S
they occur.			2859 0 2 9		7	
(10)	Aver	age s	peed		irregular speed	
Definition It i	s the to	tal dis	stances	it is:	the speed by which	h
Cove	red divid	led by			ect moves to con	
	L period			_	L distances at	
				•	L periods of tim	6
(11)	Po llen	grains	5	spe	rms	
site of formation	Anther	of flo	wering	Test	tes of human	
	Plan	nts			danimals	
Dr CH- C	0.10		_			
12 Focus of the Cor	cave m	rror	fo ci	rs of th	e convex mirror	
-It is a real			LIti	الله ع	rtual Focus	
_ It is the Poin	c of col	lection	_It_is	s the po	int of collection	
of the reflected lig	htrays.		ofthee	xtension	is of the reflected	
	<u> </u>		Light	rays.	· · · · · · · · · · · · · · · · · · ·	
-It is located in the concave	mirror	• f			d in the back of nvex mirror.	1

25 علوم مع غارة مبلاك

(13)				l and the
	Sexual	reproduct	ion A	sexual reproduction
	Itisak	The state of the s	tion 7	etis akind of eproduction that involves
		<u> </u>		only one parent
	is a male	and the other		
		emale		
Genetic traits			th	e new individual
		Combined	exa	ctly looks like its parent
		f both parent		
	<u></u>			
individuals				
(14) Scalo	ur physica	al quantities	Vecto	or physical quantities
definition It	identified	by Knowing	It i	dentified by Knowing
		e only like		agnitude and direction,
1	ass			ke velocity.
(15)	1	Nebular the	ory	modern theory
The name of the	Scientist ounder	Laplace		Fred Hoyle
(16)		Concave mir	ror	Con Vex mirror
The method of	obtaining	object put at		object put at
a virtual	U	a distance les		any distance
	0-	the focal leng		ang or surrec
(17)	Reproductio	n by binary fission	repro	duction by budding
Example	Bac		- }	least

و علوامع غادة صلاح


(18) Hydra			starfish			
Type of reproduction Budding			Regeneration			
(19)	Male	gamete	fe	female gamete		
Example		Perm		oVum		
(20)		virtual i	mage	real image		
its propert	y, invert	ed (upright	t)	(inverted)		
		The second secon		n_uniform speed		
Definition	19 19	he speed by the object mo		is the speed by which he object moves when		
		t covers equal		t covers (unequal) distances at equal		
		riods of time		Periods of time		
(22)	07	hick Convex Le		Thin convex lens		
The focal len	gth Iz	thas asmall fo length	cal 3	Ethas a large focal length		
(23)	Rep	Productive Cell		Gamete		
(24) Formation of		Meiosis Li Vision		doesn't divide		
		Animal Cell		Plant cell		
		The spindle fibers		the spindle fibers are formed		
spindle fib	1 00000	e_formed_by_	tro	om condensing the cytoplas		
	1 1	he centrosom	0 -7	two poles of the cell		

	figures 1) calculate the value of reflecting angle in both the two figures
	1) calculate the value of reflecting angle in bomble
-	
_	The state of the s
	(1) 1 (2)
	(1) 50° (2) Zero°
-	2) study the following figure which explains the steps of one
_	of the biological phenomenon, then answer by
	1) What's the name of this phenomenon?
-	2) Mention the phase
	in which that phenomenon & -> **
-	occurs.
	3) what is the type of its division?
	u? What are the results which are produced if that
	Phenomenon did not happen?
	1) crossing over phenomenon. 2] At the End(of) prophase 1
	3) Meiosis wi There is no genetic variation in the individuals
	or the same Kind
	3) The opposite graph represents the (m15)
	movement of a car from rest point,
ı	study the graph and answer: 40
l	1) Moving with uniform acceleration is 30+ B C
	represented by the straight line 10 to
	2) Calculate the acceleration of the car during A 5 10 15 20 25 (Sec.)
	its movement from the point (B) to (c).
I.	Answer 1) AB 2) a = $\frac{\sqrt{2}-\sqrt{1}}{\Delta +} = \frac{20-20}{10} = Zero$
	and co At 10
١	

(28) علوم مع غادة صلاح

A car moves in straight line, and its speed recorded within 30 seconds, then it was represented graphically as shown in the opposite figure:

From the graph extracts the needed information to complete the following table:



Phases of the car movement	phase a b	phase b c	phase c d
The initial speed (V ₁)	(1)	25 m/sec	(2)
The value of acceleration	2.5 m/sec ²	(3)	(4)
The description of movement	(5)	(6)	The car moves with negative acceleration


Answer

(1) Zero (2) 25 m/sec (3) Zero (4) a = 0-25 = -25 = -5 m/sec (5) The armoves with positive acceleration.


(6) The car moves with Zero acceleration.

5 In the opposite figure:

An object was put in the mid distance between a concave mirror (its focal length is 10 cm) and a plane mirror, so the image was formed by the plane mirror at a distance 30 cm from the plane mirror.



- 1. Draw the path of light rays for the formed image by the concave mirror.
- 2. Mention the properties of the formed image by using the concave mirror.



- inverted - diminished


	North
6) A person moved from start point (12) meters to the west then he west returned in the same path smeters to the east calculate: 1. The distance covered by the object from the 2. The displacement (magnitude and direct No	South point tion)
The Answer:	rth
1. 1. 1. 1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	
2. The displacement west 12 m	togint) East
the test point towards 8 m End	
the end Point (west)	uth
= 12-8=4 m (West).	
Three cars (A, B, C) their motion are represented by the following graphs. Study the graphs then answer:	
Velocity (km/h) 20 15 10 5 10 1 2 3 4 (Hour) Distance (km) 20 15 10 5 10 12 3 4 (Hour) Time (Hour) (C)	
(A) (B)	1, 11
1132.11111	
2. The speed of car(B) equals (
3. The speed of car(c) equals() Km/h.
Second: The relative speed of car(A) to an obse	dia tion and
when: 1-Both cars (A) and (c) move in the same	direction equals
() Km/h. 2. Both cars () and (c) move	in a prosite
direction equals ()Km/h.	7.0
First: 1-20 2 Zero 3-5 Second: 1. 9	5) 2.(25)

8) Show by drawing the relation (distance-time) graph
for an object moves at a uniform speed and then it
stops
distance (m)
time (sec)
1) from the opposite figure calculate: 10 Displacement (m)
1-Total distance 2. Displacement
3- Velocity after the first five seconds. 5
The answer:
1. Total distance = 10+10= 20 m
2. Displacement = Zero 5 10 (Sec.)
3. V = 10 = 2 m / Sec.
5
10 What is the name of each living organism and mention
the type of a sexual reproduction in each.
B-what happen to both 11, 9 (2) during the reproduction process.
(2)-(3)
(1)
fig.(2)
The answer: Fig. (1) 1 Mushroom fungus reproduce asexually
by sporagony @ yeast fungus reproduce asexually by budding.
1 (1) The nucleus divided by mitosis to 2 nuclei, one of them
remain and the other one migrates to the bud.
remain and the other one migrates to the bud. (2) The bud grow into new fungus, that separates or remain on the mother Cell forming a colony.

31 علوا مع غا دة صلاح


	From the opposite figure : 1. Write the name of this phase ? 2. When does this phase happen ?
	2. Why does the cell passes through this phase? D Interphase 2 Before the cell division
	To Prepare the cell for division Process,
	and Duplicating the amount of the genetic material (DNA)
_	12) show by Labeled drawing only:
	1) formation of the image of a body which is placed between
	2) formation of the image of a body which is placed
-	between the petical center of a convex lens and its
	focus. image c image c image (1)
	of division of a reproductive cell.
	1. Mention the name of this phase.
-	2. What is the type of cellular division it belongs to ?
	3. Mention the importance of this type of division.
	1) Anaphase 1 2) Meiosis 3) Gametes formation

	مخطف علوا مععادة صلاح
	Distance (m)
(14) 1. Determine the intervals during	BC
which the body moves at uniform spe	ed.
2- The time intervals during which th	
at rest.	A (Sec)
1) AB 2) BC	
(15) An object was placed in the m	iddle between
a convex lens whose focal length is	
mirror othe distance botween them	was 20 cm (as in the)
mirror, the distance between them 1. find the distance between the image	figure.
by the convex lens and the image form mirror.	object
2. Mention the properties of the image	1
	10cm / 10cm
Tormes by the convertens.	100m
K 10 cm 20 cm	XK 10cm
object	
	2
The image formed	
by the plane	Theimage
m, VYOF	formed by the convex Lens
1) N'ab 10 - 10 - 110Cm	convex Len 5
1) Distance = 10+20+10 = 40cm	tal and and t
2) Image properties & real, invert the object.	ses and equal to
the object.	
	1



	(49)
	(19) 3. The chromosomes which are connected with
	THE SPINGLE FINELS AND ANDRONAL TILL ALL
,	
-	of the damaged cells.
-	
	20 Abody started its motion from (a) b 30 m in 10 Sec. c
	a covered 15 meters northward
	Within 15 seconds, then 30 meters 15 m
	eastward within to seconds, and 15 sec. 55ec.
	Then 15 meters Southward within
-	5 seconds as shown in the figure. a d
	Find distance covered by a body, displacement and velocity.
-	
-	Distance = 15 + 30 + 15 = 60 m.
-	Displacement = 30 m eastward.
	velocity = 1 = 30 = 1 m/sec eastward.
	1. Complete the path of the rays to form an image. 2. Complete the following:
1	2. Complete the following :
	a. The length of the image = cm. b. The distance between the image and the optical center of the lens is cm.
	D. The distance between the image and the option of the tens is minimage.
	1)
	5cm (2 cm) object
	image vice F
	2) g/2 cm
	b) 10 cm

35) علوامع عَادة صلاع



		_
-	25 In the opposite figure:	•
	An object is moving from point 8m 7m (C) to point (M) Passing I to point	
-	(c) to point (M) passing by two points DM_r-F	_
	(D, F) in (5 sec.) calculate:	
_	1. The covered distance 2. The velocity	_
+	1-Distance = 8+ (1 circumference)+7=	
_	$= 8 + (\frac{1}{2} \times 2 \times \frac{22}{7} \times 7) + 7 = 37m$	_
	2. Displacement = 8+7=15 m (east direction).	-
_	Velocity = displacement = 15 = 3m / sec. (east direction)	_
	26) from the opposite figure:	
	1. What is the type of lens	
	1. What is the type of lens 2. Complete the light rays after drawing c F F C	
_	in your answer sheet to form the image.	_
	1- Concave Lens.	_
	2. Object c Fimage	
_		-
	المن سهم العدرة منقط ١	_
	23 In the following graph, mention the name of horizontal	_
	axis (1) and vertical axis(2)	_
		_
	Axis (1) is time axis. Axis (2) is speed axis. object move with > (1) acceleration=Zero	
_		
_	From the opposite figure: Metaphase 1, meiosis Metaphase 2 and which	
	1. What is the name of this phase? and which type of cell division it belongs?	
	type of cell division it belongs? 2. Describe what happens in this phase? arrange at the cell equator	
-	equation	

	علوم مع غارة صلاع
1 (8	Varians questions
2	A train state to
Li	A train starts to move from rest in straight Line, ts speed reaches 25 miss
	TO SO MILLOCAL ALTER OF COLCULATO
	of the train and find its type.
	1- 2=36 m/sec. t=9 sec.
-	+ = 36-0 = 4m/sec2 (Positive acceleration)
2)	A racer cover a distance (50 meter) by running within
	Lime (5 second), then return to the start point Walking
	Within (20 second) calculate average speed of the racer:
_	1. while running 2- while returning back.
1_	$\overline{V} = \frac{50}{5} = 10 \text{ m/sec}$. $2. \overline{V} = \frac{50}{20} = 2.5 \text{ m/sec}$.
	20
3),	A runner covered a distance of 240 meters in 16 seconds
+	hen he returned back walking to the start point
i	hen he returned back walking to the start point in 2 minutes. calculate the average speed of his
	complete trip
3	V = 240 + 240 = 480 = 3.5 m/sec.
	16+120 136
4)	Two cars start their movement on an inclined road at the same moment, the first car
-	rices up the inclined road with regular speed equal 30 m/sec. and the second car moves
-	down the inclined road with initial speed equal 10 m/sec, and uniform acceleration of 5 m/sec ² . If the two cars meet each other after 5 seconds passes from that moment find
	the relative speed of the first car that is observed by the driver of the second car when
	moeting of the two cars.
	$a = \frac{v_2 - v_1}{t} : v_2 = v_1 + at = 10 + (5 \times 5) = 35 \text{ m/sec}.$
	t cirstcar vijo
	The two cars are opposite in direction was 130m/s ReLative speed = 30+35 = 65 m 1sec. 30m/s
	Relative speed = 30+35 = 65 m/sec. 7 30m/s)
1	
-	speed of observer

5) A car moves by regular speed equals 9 okm/h)on fr road(of) Banha, then the driver used the brakes the (Stops) a fter 10 seconds, calculate the acceleration ar	car
what is its type o	
Value of the same	
Vy = 90 Km/h = 90 x 5 = 25 m/sec	
$a = \frac{\sqrt{2} \cdot \sqrt{1}}{t} = \frac{0 - 25}{10} = \frac{2.5 \text{ m/sec}^2 (\text{deceleration})}{\text{motion}}$	ng)
t 10 motion	0/
6) A moving car by a uniform speed covers 80 meter	<u></u>
in Useconds, then the driver press the brakes,	
so it stopped after 4 seconds:	
Find: The magnitude of the acceleration.	
1. within 1st 80 meters. 2. Afterpressing the brak	es.
80 meters	
V2=Zero V= 80 = 20 m/s (reg a = Zero 5 p	ular eed)
1. a= Zero	
2 - V1 = 80 = 20 m/sec	
$a = \frac{V_2 - V_1}{t} = \frac{0 - 20}{4} = \frac{5 \text{ m/Sec}^2}{4}$	
t u	
2) Two cars move in the same direction if the speed of the first car is 30 km/h and	
the second car is 50 km/h.	
Calculate the relative speed of the second car relative to an observer: 1. Standing on the ground. 2. Sitting in the first car.	
3. What are you conclude from the resultants?	
1. The relative speed of the second car relative to an obs	erver
standing on the ground = the real speed of the second	14 11
2. The relative speed = the real speed _ the observer's speed	Kinlh
2. The relative speed = the veal speed _ the observer's speed 3 - The relative speed depends on the observer condition and his direction.	
and his direction.	

1.

8) A train starts to move at 70'clock in the morning the	ر ۱۱
What is the time of arriving if it moves with speed	
what is the time of arriving if it moves on the	
100 km/h to cut a distance of 500 km.	
t=d = 500 = 5h Time of arrival = 7+5=12 AM	_
A car covered 500 meters westward within 40 sec, then only one kilometer northward	_
within 100 sec, then 500 meters eastward within 60 sec to approach a fuel filling station	.9
Calculate the following: 1. The total distance covered by the car.	
2. The total time taken to cover this tour.	
3. The displacement from starting point to the filling station	
4. The velocity of the car.	
5. The average speed of the car.	
1-Total distance = 500+ 1000+ 500 B 500m 40 Sec A starting	8
= 2000 m.	
2. To tal time = 40 + 100 + 60 = 200 Sec	
3. Displacement = 1000 m northward.	_
4. Velocity = 1000 = 5 m/sec. northward.	_
u. velocity = 1000 = 5 m/sec. northward. 5. Average speed = total distance = 2000 = 10 m/sec. total time 200	_
	_
10) A hand-ball field in the form of a rectangle of 18 meters length and 3 meters width,	
what is the a mount of distance and displacement covered by a player moves around	
the field one complete cycle. :	
B 18 m C	_
Distance = 18+3+18+3=42m 3m	
Displacement = Zero because	
and Ending Point	
and Ending Form	
	1.0

A train moves with a speed of 20 m/s and when using the breaks it moves with deceleration 4m/s². Calculate the time required to stop the train.


12) An object starts its motion from (rest) with regular acceleration (can) be calculated from the relation (a=10):

1-find the final speed of the object.

2. Mention the type of regular acceleration,

2. Positive acceleration

12) I llustrate by drawing the image formed by concave mirror When the object is at the centre of curvature of themirror, thenmention the properties of this image?



13)	An object is placed at (3 cm) from the optical centre of a lens, then a magnified virtual
	image for the object is formed: 1- Mention the tupe of Lens
	image for the object is formed: 1- Mention the type of Lens 2. Explain by drawing the path of therays that form the object's image.
	form the object's image.
	Image
	11:0
	C F F C
	Convex Lens
	V \
4	that is the same of the least the one is
	what is the name of the phase where the following
	hanges occurs during cell division:
1.	- Chromosomes are arranged a long the equator of the
	cell
2	. Doubling the genetic material.
D. ,	oh .l. a a o. = 4. l. a a
	etaphase 2) Interphase.
15)1	what is the importance of the following:
	The attraction force of the Sun.
	The appraction for the open
2.7	he nucleic acid in the chromosome structure
3.	the anther in the flowering plants.
1.	controls the planets revolving around it.
_	controls the planets revolving around it. Carry the genetic information of the Living organism. forming the pollen grains in the flowering plants.
7.	carry the generic information of the going organism.
3.	forming the pollen grains in the flowering plants.
1	

	16) which of the following organs show the right						
	number of chromosomes?						
_	The choice	۵	6	C	1 d		
	The organ	Liver	testes	uterus	ovaries		
_	It's cell's has (2n)	V	x	_x	V		
-	froduce cells has (n)		V	x	V		
	(1)						
_	(17) Mention one differe	nce betw	een the v	rtual im	age of		
_	an object which is f	ormed by	each of	Concave Ler	ns, and		
	convex Lens.						
-	-virtual image of the concave Lens is diminished.						
-	virtual image of the convex lens is magnified.						
	ahanges occur during the cell division:						
1	1 - At its end the nucleolus and nuclear membrane disappear.						
	2. Two identical and separated groups of chromatids						
	are formed.						
_	3. It occurs when a complete set of chromosomes that have the same number of the mother cells chromosomes, is formed.						
_	prophase 2. anaphase 3. telophase						
-	19) What is the role of						
+	1. The spindle fiber during cell division: during anaphase						
-	the spindle fibers begin to shrink and two identical groups						
+	of chromosomes are	formed at	the two p	oles of th	e Cell.		
-	2. The chromosome: It con Carries	the genetic	traits o	f the Living	organism.		
	2. The chromosome: It contains the nucleic acid (DNA) that carries the genetic traits of the living organism.						

(43) علوم مع غا وة مسلام

Determine the type of the optical piece (lens or mirror) then mention its type (concave	
Q a) Plane) when it is able to .	
1. Form a virtual upright minimized image in the same side of the object,	
1 its distance of it	
2. Form a virtual upright enlarged image on the other side of the object, only if the object	
placed at a distance less than its focal length.	
concave mirror	
1- concave lens 2. concave main process	es
21) sexual reproduction depends on two main process	
1 1 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -	
a) Gametes formation (b) Fertilization	
to closely but car	
22) A person can be seen near objects clearly but far	
aliaste seems distorted.	
this wision defect and what	
objects seems distorted. 1. What is the name of this vision defect and what	
are its reasons	
2. How can you correct this defect, and give reason	
• • • • • • • • • • • • • • • • • • • •	
1- short-sightedness because of increasing in the ey	eball-
1- Short-sightedness because of mercosing	ne
diameter and increasing in the convexity of the	rcace.
. I	
because it diverges the rays coming from the far objection before falling on the eye. so the image is formed exactly on the retina.	cts-
because it diverges the rays will a image is Cormed	
before falling on the eye . so the image is formed	
exactly on the retina.	
2.3) An object was placed at a distance 20 cm from optical center of a lens then a real,	
An object was placed at a distance 20 cm norm option of the lens then diminished image is formed and when the object moves 8 cm toward the lens then	0-8=)
a real, equal image to the object is formed:	0-0-1
1. What is the type of the lens and describe it =12 cm fr. the optical center	-
2. Calculate the focal lens of this lens.	
1. convex lens: it is a transparent 1. convex lens: it is a transparent 1. convex lens: it is a transparent 2. Calculate the focal lens of this lens. 5. Convex lens: it is a transparent 1. convex lens: it is a transparent 1. convex lens: it is a transparent 2. Calculate the focal lens of this lens.	
1 convex lens: it is a transparent	-
2. F = 6cm optical piece which is thick at it's cellioht	rays
1- convex lens: It is a transparent 2. F = 6cm optical piece which is thick at its center and less thickness at the tips, it collects light falling on it after refraction.	
- dalling on it after the	


	the state of the s
2	1. Mention the general structure of the chromosome, show your answer with drawing and
-	24) label it.
-	two chromatids connected centromeres
-	two chromatids, connected centromited
	at the centramere chromatid
	+: 000
	25) Show with drawing formation enlarged - erect image
	by using spherical mirror.
1	image
+	
+	C F object F
+	
\vdash	I in contance of: (the function of:)
1	Interphase in cell division: In interphase the cell prepared
1	Interphase in cell division as some important biological
	for division by: - occurrence of
	Processes.
	Duplicating the amount of geneue material existinized
	Duplicating the amount of genetic material (Biving) Convex mirror in your car. It forms an erect minimized Convex mirror in your car. It forms an erect minimized
_2	in see Can the road behind the car.
_	image for the road behind the car. image for the road behind the car. concave mirror in medical: It is used by dentists concave mirror in medical: It is used by dentists
3	concave inage of the teeth at the back of
	to form a magnified image of the teeth at the back of the mouth cavity (molars teeth) the mouth cavity (molars teeth)
	the mount of the spinale
u.	the centrosome in the animal central during the cell fibers, which play an important role during the cell
1	Sibers . Which play an important rock
1	livicion
Co	ntral body)

-		1 1 4 - 4000	I.
	27) show with drawing, an	dexplain what happen	
l	in the following phases		
	in the following phases 1. Anaphase	2. Anaphase 1	-
İ		AUG.	
			_
			-
			_
	(600)		-
			-
	- The centramere of each		_
	ehramosome splits lengthwise	The spindle fibers shrink	-
	ehromosome splits lengthwise into two halves, so the	So every Two homologous	_
	chromatids separate from each	chromosomes move away	_
	other.	from each other.	-
	_spindle fibers begin shrink		_
	and two identical groups of chromosomes (each contains		-
	of chromosomes (each contains		_
	single chromatid) are formed.		_
			_
	28) Mention the properties of 1	the formed image in each	_
	or the following cases:		_
	1. An object is put in front	of a convex Lens at a distance	_
	less than its focal length.	•	_
	2. An object is put at the	focus of a convextens.	_
	1 - virtual, erect and m	agnified image.	_
	2. No image is formed.	0	-
	O \		
			١

- 29) Explain how to determine the focal length of a concave mirror (explaining your answer by drawing).
- Activity (3) The focus and the focal length of the concave mirror.

Materials :

- · A concave mirror.
- · A screen.
- A far light source (as the Sun).



Steps:

- 1. Place a concave mirror facing the Sun rays (parallel light rays).
- 2. Move the screen in front of the concave mirror to obtain the smallest and clearest image.
- 3. Measure the distance between the lit point and the pole of the mirror.

Observation:

The parallel light rays coming from the Sun are reflected and collected in one lit point (smallest and clearest image).

Conclusions:

- 1. The point of the collection of the parallel light rays after being reflected from the concave mirror is called "The focus of the mirror".
- The distance between the focus of the concave mirror and its pole is called "The focal length of the mirror".




Focal length (f) = $\frac{1}{2}$ × radius of mirror curvature (r)




A body moves in a straight line, and the distances covered in different times is recorded in the opposite table :


in the opposite table.		- 000000		40	50
The Distance (m)	10	20	30	40	50
	5	10	. 15	20	25
The time (s))	10			

- 1. Draw the relation between (distance time) graphically that is obtained from the values
- shown in the table.
- 2. Calculate the speed of moving a body.





1	- > 4					
+	31) If the number of chromosomes in a starfish mother cell					
	is (2N), how many chromosomes are there in the cells					
	many chromosomes are the	re in the cells				
+	resulted by regeneration? Why?					
-	0 0					
	Foundaries (and)	1.				
	- Equals (2N), because reproduction by re	generation				
-	is a type of mitosis.					
_	01					
	32) Two cells are divided, one in a female Li	was all another				
	cens are sivilled, one in a female	ver and undener				
_	in her ovary:					
_	Mention: 1. The Kind of cell division in	each cell.				
_	2. The number of cells produced from ea					
	3. The number of chromosomes in each r					
		Saconino Centi				
-	Female Liver cell Female ovarian cell					
_	1- Mitosis 1- Meiosis					
_	2 2 cell 5 2 4 cells					
_	3. 2N 3. N					
	33) Mention the conditions of occurrence for each of the following:	,				
	1. The reproduction by regeneration in starfish when it loses one of its arms.					
1	2. The collection of the rays after being reflected from the concave mirror in t	he focus of				
_	the mirror.					
	1. If the arm contains a part of the cer	ntral disc.				
	2. If they fall parallel to each others, a					
1	to the principal axis.					
T						
-	An object is placed at a distance of 5 cm. from convex lens its focal length is 2 cm.					
_	Draw a diagram to show the path of rays that form the image of the object,					
	showing the position and the properties of the image on the drawing only. Centre of curvature					
	object	centre of our man				
-						
-	Fimage / real	, inverted and				
	between & dim	inished)				
	(F)()					



و العام علوامع غادة صلاح

	Two cells are divided in a plant, one of them in the stem and the other in the ovary,
40)	if you know the number of chromosomes in each of them is 8 pairs of chromosomes,
	mention:

- 1. The kind of cell division in each cell.
- 2. The type of reproduction in this plant.
- The number of chromosomes in each resulted cell.
- 1. Mitosis in stem cell and meiosis in ovary cell
- 2. Sexual reproduction.
- 3. (In Stem cell: 8 pairs) (In ovary cell: 4 pairs (8))
- 41) Mention the type of xreproduction for each of the following
- 1. Sponges 2-starfish

 1. Budding 2-Reproduction by regeneration.
- 42) when the following values equals zero:
 - 1. The acceleration of a moving body
 - 2. The angle of reflection of a light ray from the reflecting surface of a plane mirror.
 - 1. If the Object moves with a regular speed.
 - 2. If the incident light ray falls perpendicular to the plane mirror

us) Mention the Measuring units of:

Measuring units:

Scalar physical quantity	Its measuring unit		
Speed	m/sec Or km/h.		
Time	Second Or Hour		
Mass	kg.		
Length	Metre		

Vector physical quantity	Its measuring unit		
Acceleration	m/sec ²		
Velocity	m/sec Or km/h.		
Displacement	Metre		
Force	Newton		

وى علوا مع غادة صلع

The item	Importance or uses
Concave mirror :	It is used: - In a torch to reflect light. - In front lights of cars to reflect light. - In shaving to get an enlarged and erect image of the face. - In marine lighthouses that are found at marine ports and at airports to guide ships. - In aircrafts landing at airports to guide aeroplanes. - In some types of telescopes to monitor the space and also to form an enlarged and near images of the celestial bodies. - In solar ovens to heat food, water etc. - By dentists to form a magnified image of the teeth at the back of the mouth cavity (molars teeth).
Convex mirror :	 In cars (on the right and the left sides of the driver) to form an erect and diminished image for the way behind the car. At shopping center to allow high rate of security at these places. On the corners of narrow roads to monitor cars movement on these narrow crossroads to avoid accidents. At cars park to monitor cars movement at the park to avoid accidents. At the platforms of the Metro and railway stations to avoid passenger injury at opening or closing the doors.
Lenses :	 They are used in many things as follows: In medical eye glasses either for reading or walking. The person who fixes the watches uses a magnifier lens to see the minute parts of the watches. In the war, the leaders use binoculars to follow the battles. In making telescopes and microscopes.

	8. Contact lenses :	They are used instead of the glasses to treat the vision defects.	
	Item	Importance or use	\ -
_	1. Solar telescope :	It forms a complete picture for the Sun.	-
-	2. Hubble telescope :	It collects photos for the universe that give us details about its state since millions of years, these photos give astronomers an opportunity to study the evolution of the universe after the Big Bang.	-

cannot be seen with the naked eye.

It is used to correct the short-sightedness.

It is used to correct the long-sightedness.

4. Telescopes:

5. Microscopes:

6. Concave lens:

7. Convex lens:

The speedometer in cars and planes: It measures the speed directly.

They are used for formation enlarged images for the heavenly bodies.


They are used for formation magnified images for the tiny bodies which

	1 lf al.	1
_	what is the number of chromosome in a gamete of an animal are 22 chromosome,	7
		_
_	1. The zygote. 2. The testis. 3. The ovum.	1
	2. The testis. 5. The ovum.	#
-	7-44 2-44 changes 200 1	
	chromosomes 3. 22 chromosomes.	+
		V
-	What is the difference between each of the following:	7
	Asexual reproduction and sexual reproduction according to the hereditary trait of	╁
	the resulting individual.	
H		T
	Acare I to the second	+
	Asexual reproduction gives individuals identical to	
	the parent individual, because it depends on mitosis.	
	ser l'is l'it des l'actions on mitosis.	╀
	- Sexual reproduction gives individuals Combine genetic	
	of both (male) and female individuals. Combine genetic traits	
	home of the land o	t
	because it depends on meiosis.	L
	If you know that a cell in your bady this is	+
	If you know that a cell in your body divided twice producing four cells. Answer the following:	
		ı
	a. What is the type of division occurring in this cell?	┢
1	b. Does the number of chromosomes in the produced cells from this division change?	
	Why?	
	1st englisher anditosis	\vdash
1	15t a) N Sivision a) Mitosis	
	1 2N 2	
	Larent Giving	-
-	one of the produced cell	
1	2N has a complete number	
T	193 a complete number	
4	end division of chromosomes of the	
1	Parent cell	
+	2N 2N	
1		
-		

Explain by drawing the crossing over phenomenon then mention its role in the variation of genetic traits among the individuals of the same species.

Crossing over phenomenon

It is a phenomenon that takes place at the end of prophase I in which some parts of the two inner chromatids of each tetrad are exchanged to produce new genetic arrangements.



Importance of the crossing over phenomenon:

- It works on the variation of genetic traits among the members of the same species,
 where it contributes in the exchange of genes (that carry genetic traits) between the two
 homologous chromosome's chromatids and distributing them randomly in the gametes.
- According to the Big Bang theory, rearrange the following events from the oldest to the nearest :
 - 1. Sun was born and Earth and the planets were created.
 - 2. Ancestral galaxies were evolved.
 - 3. Earliest life forms began to appear on Earth.
 - 4. Matter got joined in mass.

(4-2-1-3)

Important theories:

Big Bang theory:

The Big Bang theory assumed that:

- The beginning of the universe was a gaseous ball of high pressure, high temperature and small in volume.
- A massive explosion occurs to this ball since 15000 million years and its components were scattered in space followed by continuous expansion and changing processes till now.
- Resulted from this explosion, all forms of matter, energy, space and time.

	the solar sys	tem
(Theories about the evolution of the solar sys	~/
1	totlon of the solar system (Laplace 1796):	
	Nebular theory about the evolution of the solar system (Laplace 1796): • Assumptions of nebular theory: It assumed that the origin of the solar system was the nebula.	
	1. The contraction of nebula:	
-	 By passing time, the nebula lost its heat gradually, so its size contracted and its leaves speed around itself (axis) increased. 	
-	 2. Formation of the gaseous rings: The centrifugal force arising from the rotation of nebula around its axis led to: The nebula lost its spherical form and became in a form of a flat rotating disk. Separation of parts of nebula in the form of gaseous rings that also rotate around Separation of parts of nebula in the form of gaseous rings that also rotate around 	
	 The gaseous rings cooled down and frozen forming the planets of the solar system. The gaseous rings cooled down and frozen forming the planets of the solar system. 	
- (The crossing star theory about the evolution of the soul system.	
_	Moulton 1905):	
	• Assumptions of the crossing star theory:	
	It assumed that the origin of the solar system was the Sun.	
	 Another huge star (crossing star) approached to the Sun. This star attracted the Sun to it which led to a great expansion in the part of 	
1	the Sun facing this star. 3. The expanded part from the Sun was exploded which led to:	
	• The Sun escaped from the gravity of that star.	-
-	 A gaseous line was formed of a great length from the Sun to the last planets. 	
-	 The gaseous line started to condense due to the attraction force, then it cooled forming the planets. 	
-4	The modern theory about the evolution of the solar system (Fred Hoyle 1944):	
-	Assumptions of the modern theory:	-
	It assumed that the origin of the solar system was a star rather than the Sun.	
	1. A star was rotating near the Sun.	
	2. The star exploded due to huge nuclear reactions.	
-	3. The force of the explosion led to :	
_	 The bombing of the star's nucleus away from the gravity of the Sun. A gaseous cloud from this star remained around the Sun. 	

4. The gaseous cloud subjected to cooling and contraction processes forming the matter of planets, then the attraction force of the Sun controlled the orbits of planets around it.

Importance:

1. Chromosomes ;	 They represent the genetic material of the living organism. They play an important role in the cell division. Knowing the number of chromosomes helps in identifying the animal and plant species.
2. Centromere :	It is the point of connection of the two chromatids of chromosome
3, DNA :	It carries the genes that carry the genetic traits of the living organism.
4. Mitosis :	It plays an important role in : - compensation of the damaged cells growth of living organisms (animals and plants) completing the asexual reproduction process.
5. Interphase :	It prepares the cell for division by: • The occurrence of some important biological processes. • The duplicate of the genetic material (DNA).
6. Spindle fibers :	They pull the chromatids to one of the cell poles in anaphase to form two identical groups of chromosomes.
7. Meiosis :	Production of male gametes and female gametes to complete the sexual reproduction.

8. First melotic division :	It produces two cells, each of them contains half number of chromosomes.
9. Second meiotic division :	It aims to increase the number of the produced cells from the first meiotic division.
10 Nano-molecules of gold :	Treating of cancer.
14. Proteins that are loaded on gold molecules :	Attach (adhere) to the cancerous cell to monitor it.
12. Laser in treating cancer by nanotechnology:	Burning and killing the infected cell.

• Nebular theory, Crossing Star theory and Modern theory:

Points of comparison	Nebular theory	Crossing star theory	Modern theory
• The founder :	Laplace	Chamberlain and Moulton	Fred Hoyle
• The origin of the solar system :	A glowing gaseous sphere revolving around itself. (Nebula)	The Sun.	A star rather than the Sun.
• The force that causes the formation of the solar system:	The centrifugal force arising from the rotation of nebula around its axis.	The force of attraction of the crossing star and the force of explosion of the expanded part from the Sun.	The force of explosion of the huge star resulting from the occurrence of sudden and violent nuclear reactions within it.

Phases of mitosis:

The phase	Tri.	-	
A STATE OF THE PARTY OF THE PAR	The changes that occur in the phase	Figure	
1. Prophase :	 Chromatin reticulum condenses, then appears in the form of chromosomes. A network of spindle fibers is formed. At the end of this phase, the nucleolus and nuclear membrane disappear. 	Prophase	
2. Metaphase:	Chromosomes which are connected with the spindle fibers are arranged along the cell equator.	Metaphase	
3. Anaphase :	 The centromere of each chromosome splits lengthwise into two halves, so the chromatids separate from each other. Spindle fibers begin shrink and two identical groups of chromosomes (each contains single chromatid) are formed. 	Anaphase	
4. Telophase :	 The spindle fibers disappear. A nuclear membrane and a new nucleolus are formed at each pole of the cell. The chromosomes convert into a chromatin reticulum again. At the end of this phase, the cell divides into two new cells, the number of chromosomes in each of them is equal to the number of chromosomes of the parent cell (2N). 		

علومع عادة مروح


Phases of meiotic division :

A) Phases of first meiotic division :

The phase	The changes that	
I. Prophase I :	The changes that occur in the phase - Chromatin reticulum intensifies and appears in a form of distinct chromosomes. - Chromosomes are arranged in homologous pairs, each pair consists of 4 chromatids which are called a tetrad. At the end of this phase: - Crossing over phenomenon occurs. - Nuclear membrane and nucleolus disappear. - Each two homologous chromosomes (in the tetrad) move away from each other. - The spindle fibers appear and connect to the chromosomes at centromere.	Figure Prophase I
2. Metaphase I :		XX
Anaphase I :	The spindle fibers shrink, so every two homologous chromosomes move away from each other.	Metaphase I Anaphase I
elophase I :	 The spindle fibers disappear. A nuclear membrane and a new nucleolus are formed at each pole of the cell. At the end of this phase, each cell divides into two cells, the nucleus of each of them contains half the original number of chromosomes of the parent cell chromosomes (i.e. each cell contains (N) chromosomes). 	Telophase 1

B) Phases of second meiotic division:

- Each cell of the two cells resulted from the first meiotic cell division is divided in a way similar to the mitotic cell division.
- In the final phase (telophase II) of this division, four cells are produced and each of them contains half the number of chromosomes of the parent cell.



ive reasons

- ong sightedness person can't see the near
- Because the image of near objects, is formed behind the tima.

 2. The focal length of concave mirror can be determined
- by Knowing its radius of curvature
- Because that, the focal length equals half the radius of curvature
- 3. The train moves with an irregulars peed
- Because it covers unequal distances at equal periods of time.
- 4- Sexual reproduction is a source of the variation between individual
- Because the new individual gets the genetic traits from two
- Sources (male and female gametes) and the crossing over Phenomenon occurs during gametes formation.

5. The word Ambulance is written laterally inverted on Ambulance car.

Because the mirrors of the cars in front of the ambulance car, form a laterally inverted image for this word, and thus it appears laterally corrected to the drivers.

Because the produced individual has the same number of chromosomes of the parental individual.

7-Pilots take in consideration the velocity of the wind during flying.

Because the wind direction detects the time of the trip and also the amount of the fuel consumed, due to it affects the speed of the plane.

8. The mitatic division is very important for the child's body and not the meiotic division.

Because mitotic division leads to growth which is important for child's body and also compensates the damaged cells.

9. The universe is in a continuous expansion.

Due to the continuous movement of galaxies away from each others.

10. The reproduction by spores is one of the forms of asexual reproduction.

Because it developed through one parental in dividual

	11 Most or poeple can't write in a correct way,	-
	11. Most of poeple can't write in a correct way, While they are seeing the paper through a plane mirror Because of the plane mirror forms a laterally inverted	
	Con as all solone mirror Counce a laterally inverted	-
	Because of the plane mirror porms a call	1
	Image.	ļ
	12. The body that moves by uniform velocity has acceleration	-
	Because Av= Zero, whereas acceleration is the rate of change	ľ
	of velocity so it also equals zero.	-
	13 - sexual reproduction is a source of genetic variation.	r
	13_ Sexual reproduction produces individuals different	-
	or their Parents.	-
	Because the newly formed individual takes the geneuc	
	material from male and female, and also due to life becaute	-
	of crossing over phenomenon during gametes formation.	
	t antinchall number as chromosomes existed	
	14. The gamete contains half number of chromosomes existed in the somatic cell.	
	Because gametes are produced from meiosis,	
	Because gametes are produced from meiosis, which is a reduction division.	
	which is a reduction division.	
	1 tim Knows constrict thursture	
	15. A sexual reproduction Keeps genetic structure	
	of the Living organism.	
	Because it depends on one parental individual.	_
	and occurs through mitosis.	_
1		1
		12

_	(Q.R.)	L
	16. Concave mirror is used to generate high heat energy.	-
_	16. Con cave mirror is used to generate high heat energy. Because it collects the ray in one point, which is focus.	-
_	17- Real image cannot be formed by using a concave lens. Because it is a diverging Lens.	
_	Because it is a diverging lens.	_
_	18. The object speed increases by decreasing the time taken	_
_	to cover a certain distance.	_
_	Because there is an inversely relation between	_
_	speed and time at constant distance.	_
	<i>5</i> /2005	
	19. The motion of a train can be considered from examples	- 1
	of motion in one direction.	_
	Because it moves in a straight line (or) curved line	
	or combination of both.	
	20. The human being noticed that when he looked at	
	the still water surface, he could see as image of his	
	face in the water.	
	Due to light reflection.	
	21. you could see the person who fixes the watches	
	Use a magnifier.	
	To see the very small parts of the watch.	
	22. The constancy of the planets in their orbits	
Ī	around the sun.	
	Due to the gravity of the sun.	
	and a second second	

23. The object that is placed at the focus of a convex lens has no image. Because the refracted light rays are parallel 24. The body which moves at an acceleration can't move at a regular speed. Because its speed changed by time. 25. The number of chromosomes is constant in the same species which reproduce sexually. Because each of male gamete and female gamete contains half number of chromosomes (N), by combination a Zygote is formed which containing the whole humber of chromosomes (2N). 25. The force is carector quantity. Because it is identified by Knowing both its amount and its direction 26. The incident light(ray) which falls perpendicular on a plane mirror reflects on itself. Because the angle of incidence equals the angle

27. Phy sicists use mathematical methods like graphs and tables. In order to: - predict the relation between certain Physical quantities _ understand practical results -describe physical phenomena in an easier way.

of reflection equals zero.

	G.R.
	28) Shrinking of spindle fibers during the anaphase
	mitosis division.
1	To form two identical groups of chromosomes, each group migrates towards one of the cell's poles.
-	migrates towards and as the college soles
-	Juces comaras one of the cell's poces.
	(29) Mairin in 11 1 and the strate
	29 Meiosis is considered as a source of genetic variation
	in Living organisms.
	Due to the occurrence of the crossing over phenomenon
	The state of the s
	30) A convex(mircor) is put at the left and right side of driver Because it forms virtual, erect and diminished
_	Because it forms virtual, erect and diminished driver
_	image to the road behind the Car.
	0
	31) Most or moving cars cannot move practically all time
	with uniform speed
	31) Most of moving cars cannot move practically all time with uniform speed. Because the speed changes according to the road condition
	consider according while roug consider
	32) Using a convey lone Consumation long and the
	Daniel La Harris for correcting cong-signtedness.
	Decause it collects the rays, so the image of the
	32) Using a convex lens for correcting long-sightedness. Because it collects the rays, so the image of the near objects are formed on the retina.
-	33) The offspring have genetic traits identical to the parent in case of asexual reproduction.
-	to the parent in case of asexual reproduction.
	Because asexual reproduction depends on mitosis
	Where the new individual gets a full copy
	of the parental individual's genetic traits.
	- Jeneur
1	
1	

1	(G.R.)
	34) In the plane mirror the image cannot be received
_	on a Screen.
	Because it is (a) Nirtual image
	V
-	35) The amount of fuel consumed during flying between
	two cities differs by the difference of the wind
_	direction.
	Because the wind direction affect the velocity of the
	plane, and so the amount of fuel consumed.
	36) The(lens) has 2 centers of curvature but spherical mirror has one
	36) The lens has two focus while the spherical
	mirror has one focus. Center of curvature
	Because lens has 2 spherical surfaces, and mirror
	has one spherical surface.
	37) Concave lens is used to correct the short-sightedness
	Because it diverges the rays coming from far objects
	before falling on the eye, so the image is formed
	exactly on the retina.
	38) (Distance-time) graph of an object that moves
١	at a uniform speed is a straight line passing through
	the origin point.
ı	Because distance is directly proportional with time when the object moves with a constant speed.
١	when the abject moves with a constant speed.
	WILL OIL ONJECT III TO THE STATE OF THE STAT
-	
-	
-	
1	

(Cive reason) = (cive scientific correct reason)

- 39) The moving car with a certain speed seems to be at rest, to a moving observer with the Same Speed and the same direction Because the relative speed equals the difference between the two speeds equals zero.
- 40) The explosion of some stars suddenly.

 Due to nuclear reaction.
 - To prepare the cell for division, by occurrence of some biological processes, and duplicating the amount of the genetic material (DNA).
- 42) Meiotic division is called reduction division

 Because it occurs to reproductive cells (2N)

 and produces gametes (N).
- 43) vegetative reproduction of grape plant not produce new genetic properties.

 Because it depends on mitosis division.
- While the concave lens is known as a converging lens,

 While the concave lens is known as a diverging lens.

 Because the convex lens is a collecting lens, while

 the concave lens separates the light rays fall (on) it

Write the scientific term:

- 1- The value of change of an object's speed in one second.
- 2- A flat and gaseous round disk that formed the solar system.
- 3- A mirror that forms a virtual, upright and small image for an object.
- 4- It contributes in genes exchanging between the two homologous chromosome's chromatids and distributing them in the gametes.
- 5- It is located in one of the spiral arms of the Milky Way.
- 6- Asexual reproduction occurs by using plant organs except seeds.
- 7- The line joining between the two centers of curvature of lens passing by the optical center.
- 8- It is the phenomenon of the light bouncing off in same medium when it meets the reflecting surface.
- 9- The angle between the reflected light ray and the normal.
- 10- The expansion of the universe and the atomic particles merged together producing helium and hydrogen.
- 11- The moving object covers equal distances at equal periods of time.
- 12- The point of connection of two chromatids together.
- 13- The change of displacement relative to time.
- 14- A point located inside the lens on the principal axis in the mid distance between its faces.
- 15- It contains genetic material from each parent when it grows; it gives a new offspring whose traits combine each parent's traits.
- 16- It is the change in the object's speed in one second.
- 17- It is any straight line that passes by the center of curvature of the mirror and any point on its surface except the pole of the mirror.
- 18- A phase in which chromosomes pairs arrange on cell's equator.

2

Mr. Mohamed Taha

- 19- The force that keeps the continuity of planets rotation in their orbits.
- 20- The value of an object's speed determined in relation to an observer.
- 21- The force of attraction between the masses of two objects is directly proportion with the amount of their masses and inversely with the square of distance between them.
- 22- The total distance that a moving object covers divided by the total time taken to cover this distance.
- 23- The point of collection of the parallel rays after being reflected from the concave mirror and can be received on a screen.
- 24- A phase where some processes occur upon which the formation of a complete set of chromosomes that equal in numbers with the parental cell.
- 25- The space that contains all the galaxies, stars and planets.
- 26- The image that can't be received on a screen.
- 27- A phenomenon that occurs at the end of prophase 1 and contributes in genes exchange.
- 28- A disease resulting from the formation of the image behind the retina of the eye.
- 29- The biggest star that can be seen clearly by people on the earth surface.
- 30- The unit that is used to measure the distances between the celestial bodies.
- 31- Angle of incidence = Angle of reflection.
- 32- The shortest straight line between two positions of a moving object.
- 33- The revolving of the earth around its axis in a period of time.
- 34- The ability of some animals to compensate their missing parts.
- 35- Cells that lead to the formation of gametes that contain N chromosomes.
- 36- The point of collection of parallel rays in the concave mirror.
- 37- A phase in which some important biologogical process occur to prepare the cell for division and genetic material in the cell is doubled.

3

Mr. Mohamed Taha

- 38- The point that is in the middle of the reflective surface of the mirror.
- 39- The combination of the male and the female gametes to form zygote.
- 40- It is the sun and eight planets revolving around it.
- 41- Twice the focal length of a spherical mirror.
- 42- The change of an object's location as time passes according to the location of another object.
- 43- A type of reproduction which considered a source of genetic variation.
- 44- A disease causes darkness of the eye lens.
- 45- An equipment was launched to the space; it allows astronomers an opportunity to study the evolution of the universe after the big bang.
- 46- A process in which the living organism produces individuals with hereditary traits different from the parents.
- 47- A cell division that occurs in the somatic cells and results in the growth of the living organism.

Give reasons:

- 1- Sexual reproduction is the source of variation between individuals.
- 2- The shortsighted person requires medical glasses with concave lenses.
- 3- Asexual reproduction produces offspring identical to the parents.
- 4-The perpendicular incident light ray on the plane mirror reflects on itself.
- 5- The continuous expansion of space.
- 6- The constancy of the Earth's rotation in an orbit around the sun.
- 7- The difference in the day due to the difference of the planet.
- 8- The difference in the year due to the difference of the planet.
- 9- Force and acceleration are vectors physical quantities.

4

Mr. Mohamed Taha

10- The long sight is treated by suitable convex lens. 11- Starfish continuous alive even a part of its body is cut. 12- The moving car seems stable to the observer moves with the same speed and direction. 13- The convex lens has two centers of curvatures, while the convex mirror has only one centre. 14- The uniform velocity of a car cannot be obtained practically. 15- It is impossible to obtain real image by using concave lens. 16- The focal vertex of the thick convex lens is less than the thin convex lens. 17- Interphase stage occurs before starting cell division. 18- The important of the crossing over phenomenon the first meiotic division. 19- Zygote contains the normal number of chromosomes of the organism. 20- The object that is placed at the focus of convex lens does not form an image. 21- Concave mirrors are used in solar ovens. 22- A convex mirror is put at the left side of the driver of the car. 23- The shortest year is on mercury planet. red Taha Complete the following: 1- Speed measuring unit is...... and the acceleration measuring unit 2- The somatic cells divide by while the reproductive cells divide by 3- The crossing over phenomena takes place duringof the division. 4- The stars move in fixed orbits around the centre of the 5- The scientist who founds chaos theory that explains solar system formation is

Mr. Mohamed Taha

6-The genetic material in the nucleus of the cell consists of a number of
7- From the examples of asexual reproduction, budding in Fungus
8- The chromosomes pairs are arranged in first metaphase in the line of the cell
9- Meiosis cell division occurs in the anther of a flowering plant to produce
10- The solar system is located in one of the spiral arms of galaxy.
11- The longest day is of planet, whereas the shortest one is of
12- The incident light ray which is parallel to the principal axis of a concave mirror reflects passing through
13- The chromosome chemically consists of nucleic acid called
14- The displacement is considered as quantity, while the mass is considered as quantity.
15- The radius of the concave mirror equals of its focal length.
16- It is impossible to obtain real image by using the lens or plane
17- The spindle fibers are formed during the cell division in And disappear in
19- The result of multiplying (a speed of moving object \times time) =
20- The cell contains the genetic material which consists of number of
21 is the image that can be received on a screen.
22 Is structural unit of the universe and our galaxy is
23- From types of the asexual reproduction binary fission inbudding as in

Mr. Mohamed Taha

25	Are divided by meiosis which leads to the formation of
26	rotates around the sun once every 12 earthly years.
	nin minutes of the big bang, the atomic particles merged together and gases.
28- Me	osis division occurs in loving organisms that reproduce by
29- The	most important vision defects are and
Pro	olems:
of 20 c	nvex lens with a focal length of 10 cm, an object was placed at a distance of from the lens. Assign the distance of the object's image from the lens are its properties.
of 20 cmention 2- A rad	nvex lens with a focal length of 10 cm, an object was placed at a distance of the object's image from the lens are
of 20 cr mention 2- A rakilomet 3- A bo to the n	nvex lens with a focal length of 10 cm, an object was placed at a distance of from the lens. Assign the distance of the object's image from the lens ar its properties. e car can move from stationary position and its speed reaches 100
of 20 cr mention 2- A rakilomen 3- A botto the m 30secon	e car can move from stationary position and its speed reaches 100 ers through 20 seconds. Calculate the acceleration of the car.


- 5- An object is placed in front of convex lens at distance of 6 cm. knowing that the focal length of this lens is 3 cm.
- 1- Determine by drawing the position of the formed image
- 2- Mention the characteristics of such image
- 6- If the number of chromosomes in a human pancreatic cell is 23 pairs of chromosomes. What is the number of chromosomes in the following cells:
 - Skin
- sperm
- fertilized ovum


Choose the correct answer:


1- Which of the following graphical relations represents the moving of the body by uniform acceleration?

Speed (m/s)


Time (seconds







2- Which of the following graphs represent the movement of an object at constant speed?



- 3-The two factors can be used to describe the body motion are:
- 1- Speed and time

2- distance and time

8

Mr. Mohamed Taha

3- Area and time

4- displacement and speed

4- The value of the speed (v) = $d1+d2+d3 \div t1+t2+t3$

That means the produced speed is Speed

1-average

2-increasing

3- nail

4-decreasing

5- A concave lens is placed in the passage of sun rays; a very small image for the sun is formed at a distance 5 cm from the optical centre of the lens, if this lens is used to form an equal image for a body, what is the distance between the body and the optical centre of the lens?

1-5 cm

2-10 cm

3-50 cm

4-60 cm

6- In which of the following cases the lift rider feels weightlessness phenomenon

- 1-when the lift ascends upwards with uniform acceleration
- 2-when the lift ascends upwards with uniform acceleration
- 3-when the lift descends with uniform velocity
- 4- When the lift falls

Various questions:

- 1- Draw a diagram to illustrate the image formed when the object at a distance more than double focal length of concave mirror.
- 2- Compare between long and short sight from the following points:
- a- The type of lens used in treatment of each one
- b-The cause of each one
- 3- Mention an activity to determine the radius of curvature of a concave mirror?

Wishing you all good luck Mr. Mohamed

9

Mr. Mohamed Taha

Model Answers

Write the scientific term:

- 1- The value of change of an object's speed in one second. **Acceleration**
- 2- A flat and gaseous round disk that formed the solar system. Solar nebula
- 3- A mirror that forms a virtual, upright and small image for an object. **Convex mirror**
- 4- It contributes in genes exchanging between the two homologous chromosome's chromatids and distributing them in the gametes. **Crossing over phenomenon**
- 5- It is located in one of the spiral arms of the Milky Way. Solar system
- 6- Asexual reproduction occurs by using plant organs except seeds. <u>Vegetative</u> <u>reproduction</u>
- 7- The line joining between the two centers of curvature of lens passing by the optical center. **Principal axis of the lens**
- 8- It is the phenomenon of the light bouncing off in same medium when it meets the reflecting surface. Light reflection
- 9- The angle between the reflected light ray and the normal. **Angle of reflection**
- 10- The expansion of the universe and the atomic particles merged together producing helium and hydrogen. **Big bang**
- 11- The moving object covers equal distances at equal periods of time. **Regular speed**
- 12- The point of connection of two chromatids together. **Centromere**
- 13- The change of displacement relative to time. **Velocity**
- 14- A point located inside the lens on the principal axis in the mid distance between its faces. **Optical center of the lens**

10

Mr. Mohamed Taha

- 15- It contains genetic material from each parent when it grows; it gives a new offspring whose traits combine each parent's traits. **Zygote**
- 16- It is the change in the object's speed in one second. Acceleration
- 17- It is any straight line that passes by the center of curvature of the mirror and any point on its surface except the pole of the mirror. **Secondary axis of the mirror**
- 18- A phase in which chromosomes pairs arrange on cell's equator. Metaphase
- 19- The force that keeps the continuity of planets rotation in their orbits. Central **gravitational force**
- 20- The value of an object's speed determined in relation to an observer. **Relative speed**
- 21- The force of attraction between the masses of two objects is directly proportion with the amount of their masses and inversely with the square of distance between them. **Newton's law of universal gravitation**
- 22- The total distance that a moving object covers divided by the total time taken to cover this distance. **Average speed**
- 23- The point of collection of the parallel rays after being reflected from the concave mirror and can be received on a screen. Focus of the mirror
- 24- A phase where some processes occur upon which the formation of a complete set of chromosomes that equal in numbers with the parental cell. **Telophase**
- 25- The space that contains all the galaxies, stars and planets. **Universe**
- 26- The image that can't be received on a screen. **Virtual image**
- 27- A phenomenon that occurs at the end of prophase 1 and contributes in genes exchange. **Crossing over phenomenon**
- 28- A disease resulting from the formation of the image behind the retina of the eye. **Long sightedness**
- 29- The biggest star that can be seen clearly by people on the earth surface. Sun
- 30- The unit that is used to measure the distances between the celestial bodies. **Light year**

11

Mr. Mohamed Taha

www.starprofm.blogspot.com

- 31- Angle of incidence = Angle of reflection. **First law of light reflection**
- 32- The shortest straight line between two positions of a moving object.

Displacement

- 33- The revolving of the earth around its axis in a period of time. Earth's day
- 34- The ability of some animals to compensate their missing parts. **Regeneration**
- 35- Cells that lead to the formation of gametes that contain N chromosomes. **Reproductive cells**
- 36- The point of collection of parallel rays in the concave mirror. **The focus**
- 37- A phase in which some important biologogical process occur to prepare the cell for division and genetic material in the cell is doubled. **Interphase**
- 38- The point that is in the middle of the reflective surface of the mirror. **Pole of the mirror**
- 39- The combination of the male and the female gametes to form zygote. **Fertilization**
- 40- It is the sun and eight planets revolving around it. Solar system
- 41- Twice the focal length of a spherical mirror. Radius of curvature
- 42- The change of an object's location as time passes according to the location of another object. **Motion**
- 43- A type of reproduction which considered a source of genetic variation. **Sexual reproduction**
- 44- A disease causes darkness of the eye lens. Cataract
- 45- An equipment was launched to the space; it allows astronomers an opportunity to study the evolution of the universe after the big bang. **Hubble telescope**
- 46- A process in which the living organism produces individuals with hereditary traits different from the parents. **Sexual reproduction**
- 47- A cell division that occurs in the somatic cells and results in the growth of the living organism. **Mitosis cell division**

Give reasons:

1- Sexual reproduction is the source of variation between individuals.

Because the produced individuals combine the genetic traits from two different parents male and female. Besides the crossing over phenomenon that leads to genes exchange within the chromosomes of each parent.

2- The shortsighted person requires medical glasses with concave lenses.

Because the concave lens diverges the light rays before entering the eye lens so the image is formed on the retina.

3- Asexual reproduction produces offspring identical to the parents.

Because it depends on mitosis cell division that produces two identical cells similar to the parent cell.

4-The perpendicular incident light ray on the plane mirror reflects on itself.

Because angle of incidence equals the angle of reflection equals zero.

5- The continuous expansion of space.

Because galaxies move away from each other

6- The constancy of the Earth's rotation in an orbit around the sun.

Because the rotation of the earth around the sun is controlled by two equal forces which are: central gravitational force of the sun and centrifugal gravitational force of the

7- The difference in the day due to the difference of the planet.

Because planets differ from each other in:

- The length of the radius
- The speed of rotation around their axes.
- 8- The difference in the year due to the difference of the planet.

Because planets differ from each other in:

- The distant away from the sun.

13

Mr. Mohamed Taha

www.starprofm.blogspot.com

- The speed of rotation around the sun.
- 9- Force and acceleration are vectors physical quantities.

Because they have magnitude and direction.

10- The long sight is treated by suitable convex lens.

Because the convex lens converges the light rays before entering the eye lens so the image is formed on the retina.

11- Starfish continuous alive even a part of its body is cut.

Because starfish reproduces mitotically by regeneration.

12- The moving car seems stable to the observer moves with the same speed and direction.

Because the relative speed between them equals zero.

13- The convex lens has two centers of curvatures, while the convex mirror has only one centre.

Because the convex lens has two spherical surfaces, while the convex mirror has only one spherical surface.

14- The uniform velocity of a car cannot be obtained practically.

Because the car speed depends on the traffics.

15- It is impossible to obtain real image by using concave lens. Because the refracted rays by the concave lens are not intersected.

16- The focal vertex of the thick convex lens is less than the thin convex lens.

Because the radius of the thick convex lens is less than that of the thin one.

17- Interphase stage occurs before starting cell division.

To duplicate the genetic material and prepare the cell for division.

18- The important of the crossing over phenomenon the first meiotic division.

To make variation in the genetic traits among the members of the same species.

19- Zygote contains the normal number of chromosomes of the organism.

14

Mr. Mohamed Taha

Because it is produced from the combination between the male and female gametes, since each one contains half number of chromosomes (N).

20- The object that is placed at the focus of convex lens does not form an image.

Because the refracting rays through the lens pass parallel and do not meet.

21- Concave mirrors are used in solar ovens.

Because they collect a large amount of solar rays in a focus.

22- A convex mirror is put at the left side of the driver of the car.

To form an erect, virtual and small image for the way behind the car.

23- The shortest year is on mercury planet.

Because it is the nearest planet to the sun.

Complete the following:

- 1- Speed measuring unit is <u>meter/second</u> and the acceleration measuring unit is <u>meter/second</u>²
- 2- The somatic cells divide by <u>mitosis division</u> while the reproductive cells divide by meiosis division
- 3- The crossing over phenomena takes place during **first prophase** of the **meiosis** division.
- 4- The stars move in fixed orbits around the centre of the galaxy
- 5- The scientist who founds chaos theory that explains solar system formation is **La Place**
- 6-The genetic material in the nucleus of the cell consists of a number of **chromosomes**
- 7- From the examples of asexual reproduction, budding in **yeast** Fungus
- 8- The chromosomes pairs are arranged in first metaphase in the **equator** line of the cell

15

Mr. Mohamed Taha

- 9- Meiosis cell division occurs in the anther of a flowering plant to produce **pollen grains**
- 10- The solar system is located in one of the spiral arms of Milky Way galaxy.
- 11- The longest day is of **Venus** planet, whereas the shortest one is of **Jupiter**
- 12- The incident light ray which is parallel to the principal axis of a concave mirror reflects passing through **the focus**
- 13- The chromosome chemically consists of nucleic acid called **DNA** and protein.
- 14- The displacement is considered as <u>vector</u> quantity, while the mass is considered as <u>scalar</u> quantity.
- 15- The radius of the concave mirror equals **twice** of its focal length.
- 16- It is impossible to obtain real image by using the **concave** lens or plane **mirror**
- 17- The spindle fibers are formed during the cell division in **prophase** and disappear in **telophase**
- 18- Amoeba reproduces by **binary fission** bread mold fungus reproduces by **spore propagation**
- 19- The result of multiplying (a speed of moving object \times time) = **distance**
- 20- The cell <u>nucleus</u> contains the genetic material which consists of number of <u>chromosomes.</u>
- 21- **Real** is the image that can be received on a screen.
- 22- Galaxy Is structural unit of the universe and our galaxy is Milky Way
- 23- From types of the asexual reproduction binary fission in **amoeba** budding as in **yeast fungus**
- 24- The chromosome consists of two connected threads at the Centromere point, each thread is called **chromatid**
- 25- **Reproductive cells** Are divided by meiosis which leads to the formation of **gametes**
- 26-**Jupiter** rotates around the sun once every 12 earthly years.

16

Mr. Mohamed Taha

- - 27- Within minutes of the big bang, the atomic particles merged together producing **hydrogen** and **helium** gases.
 - 28- Meiosis division occurs in loving organisms that reproduce by <u>sexual</u> <u>reproduction</u>
 - 29- The most important vision defects are short sightedness and long sightedness

Problems:

1- A convex lens with a focal length of 10 cm , an object was placed at a distance of 20 cm from the lens. Assign the distance of the object's image from the lens and mention its properties.

The distance between the image and the lens = 20cm

The properties of the image: (Real, inverted and equal in size to the body)

2- A race car can move from stationary position and its speed reaches 100 kilometers through 20 seconds. Calculate the acceleration of the car.

$$A = v2 - v1/t = 100000 - 0/20 = 5000 \text{m/sec} 2$$

3- A body started to move from point x to point A covering a distance of 30 meters to the north in 20 seconds, then it moves 60 meters eastward to point b within 30 seconds then it moves 30 meters southward to point c within 10 seconds.

Calculate: 1- the total distance covered by the body (30 + 60 + 30 = 120 meter)

- 2- The total time taken by the body (20 + 30 + 10 = 60 seconds)
- 3- the average velocity (60/60=1 m/sec) 4- the average speed (120/60=2 m/sec)
- 4- A car moves in straight line, if its speed changes 5m/sec to 10m/sec within 5 seconds. Find the acceleration and its kind.

$$A = V_2 - V_1/t = 10-5/5 = 1 \text{ m/sec}^2$$
. Positive acceleration

5- An object is placed in front of convex lens at distance of 6 cm. knowing that the focal length of this lens is 3 cm.

17 Mr. Mohamed Taha

- 1- Determine by drawing the position of the formed image (on the center of curvature at a distance of 6 cm)
- 2- Mention the characteristics of such image (Real, inverted and equal in size to the body)
- 6- If the number of chromosomes in a human pancreatic cell is 23 pairs of chromosomes. What is the number of chromosomes in the following cells:


- Skin (46)

- sperm (23)

- fertilized ovum (46)

Choose the correct answer:

1- Which of the following graphical relations represents the moving of the body by uniform acceleration?




Distance (m)


Time (seconds

Distance (m)

Time (seconds



2- Which of the following graphs represent the movement of an object at constant speed?



- 3-The two factors can be used to describe the body motion are:
- 1- Speed and time

2- distance and time

3- Area and time

- 4- displacement and speed
- 4- The value of the speed (v) = $d1+d2+d3 \div t1+t2+t3$

That means the produced speed is Speed

1-average 2-increasing

3- nail

4-decreasing

5- A concave lens is placed in the passage of sun rays; a very small image for the sun is formed at a distance 5 cm from the optical centre of the lens, if this lens is

18

Mr. Mohamed Taha

www.starprofm.blogspot.com

used to form an equal image for a body, what is the distance between the body and the optical centre of the lens?

1-5 cm

2- 10 cm

3- 50 cm


4-60 cm

6- In which of the following cases the lift rider feels weightlessness phenomenon

- 1-when the lift ascends upwards with uniform acceleration
- 2-when the lift ascends upwards with uniform acceleration
- 3-when the lift descends with uniform velocity
- 4- When the lift falls

Various questions:

1- Draw a diagram to illustrate the image formed when the object at a distance more than double focal length of concave mirror.



- 2- Compare between long and short sight from the following points:
- a- The type of lens used in treatment of each one
- b-The cause of each one

Short sight What causes it? a. The diameter of the eyeball is too long. b. The curvature of convex lens is Strong. 4. It is treated (corrected) by using Concave lens (diverging lens). Long sight What causes it? a. The diameter of the eyeball is too short. b. The curvature of convex lens is weak.

3- Mention an activity to determine the radius of curvature of a concave mirror? **Steps:**

- 1. Place a concave mirror on a holder in front of a light source (description: a box which contains a bulb & light shines through a tiny opening)
- 2. Move the mirror at different distances until you get an image equal in size to the original spot of light.
- 3. Measure the distance between the mirror & the opening of the box.

Conclusion

The **focal length** is the distance between the focus & the pole. the focal length = $\frac{1}{2}$ the radius of the curvature



تمنياتي للجميع دوام التوفق Mr. Mohamed Taha

> 20 Mr. Mohamed Taha